

WORLD **AR**NEWS

CONNECTING SKIES • BRIDGING CONTINENTS

DESIGN
BEYOND
THE TUBE



FROM
CONCEPT
TO REALITY

MAINTENANCE
THE COST OF
DEPENDENCE

GROUND
SYSTEMS
DECIDE



PILATUS



PC-12 PRO

THE MOST ADVANCED SINGLE

Featuring the Garmin 3000 Prime and largest touchscreen displays in its class, Professional has been redefined – introducing the brand-new PC-12 PRO.

Pilatus Centre SA
Authorised Sales Centre



 **Crafted in Switzerland**

pilatus-aircraft.com/southernafrica

PILATUS PC-12 – PRACTICALITY IN MOTION



The Pilatus PC-12 has become one of the most widely used aircraft in general aviation, not through radical design innovation, but through its alignment with operational reality. Its ability to operate from short and unprepared runways, combined with a balance of range, payload, and reliability, has made it a consistent choice across charter operations, medical evacuation services, and regional connectivity.

In environments where infrastructure is limited and operational flexibility is essential — including large parts of Africa — the PC-12 continues to demonstrate that enduring value in aviation is defined less by conceptual advancement than by the ability to perform consistently within real-world constraints.

OFFICIAL JOURNAL OF:— Commercial Aviation Association of Southern Africa, The Airlines Association of South Africa, The Association of South African Aircraft Traders, Association of Training Organisations of South Africa, Aerodromes & Airports Association of South Africa, Association of Aviation Maintenance Organisations, South African Society of Aerospace & Environmental Medicine, Helicopter Association of Southern Africa, Aircraft Owners & Pilots' Associations of Southern Africa, Airside Operators, Association of South Africa, South African Aerial Applicators Association, East African Commercial Aviation Association, African Airline Association (AFRAA) Media Partner.



CONTACTS

PUBLISHER WORLD AIRNEWS PTY LTD
15 Jacaranda Drive, Craigavon AH,
Sandton, 2192

Telephone: +27 11 465 7706 / 083 378 2060
info@worldairnews.co.za

EDITORS

Joan Chalmers
Email: joan@worldairnews.co.za

Joey Schulz - Sub Editor
Email: joey@worldairnews.co.za

Keith Fryer - Technical Advisor
Email: keith@worldairnews.co.za

OPERATIONS & ENQUIRIES
Judi Rodokanakis
Email: judi@worldairnews.co.za

ACCOUNTS
Krystyna Zanike Evans
Email: krys@worldairnews.co.za

BUSINESS DEVELOPMENT/ SOUTH AFRICA

Hes Kiggen
Email: hes@worldairnews.co.za

Jimmy Skosana
Email: jimmy@worldairnews.co.za

BRITAIN / EUROPE BSP

Sally Passey
Email: sally@worldairnews.co.za

RUSSIA - MOSCOW

Yury Laskin
Email: yury@worldairnews.co.za

DISCLAIMER:— Opinions expressed in signed articles or in advertisements appearing in World Airnews, are those of the author or advertiser and do not necessarily reflect those of this journal or of its publisher. The mention of specific companies or products in articles or advertisements does not imply that they are endorsed or recommended by this journal or its publisher in preference to others of a similar nature which are not mentioned or advertised. World Copyright Reserved.

DISTRIBUTION CHANNELS

WEBSITE: www.worldairnews.co.za
SOCIALS: Facebook, LinkedIn, Instagram, Twitter, Magzter.
DIRECT MAIL: Monthly emailer to Subscribers and Aviation Sector Specialists.
ON -DEMAND PRINTING: We only print what is needed.

04



WORLD AIRNEWS

CONTENT

04 FLAREPATH

Examining how design, constraint, and operational reality intersect

04 Unconventional Configurations

06 SIGNALS

Revealing how aviation is shifting through interconnected pressures

06 General Aviation Under Pressure

08 Understanding the Shift — From Tube to Blended Wing

12 The Data Behind the Decision — Aeronautical Information as Infrastructure – Mehmet Keyvan

14 FEATURE

The transition from experimental thinking to applied design reality

14 From Experiment to Application

18 Why Unconventional Aircraft Are Moving Into the Mainstream

20 ARCHITECTURE

Where propulsion, energy, and structure redefine the aircraft itself

20 Designing for Electricity — Bristell B23 Energetic

22 Battery Reality: Why Electric Aircraft Carry Their Weight Differently

24 AIRCRAFT SPOTLIGHT

Different responses to evolving aviation demands

24 Cirrus Vision Jet SF50 — Redefining the Personal Jet

28 Pipistrel Velis Electro — When Energy Defines the Aircraft


30 ICON A5 — Reframing Flight as Experience

32 Rutan Long-EZ — Design Beyond Convention

14



22



30



34 OPERATIONS

Application — how aviation is delivered in practice

- 34 Charter Aviation in Practice – Yolanda Vermeulen

36 SYSTEMS

Technical capability — systems that enable aircraft performance, testing, and compliance

- 36 ATEQ Aviation — Integrating Air Data and Avionics Testing

38 INFRASTRUCTURE

The ground reality — where aviation is enabled, constrained, and ultimately shaped

- 38 Infrastructure Lag: The Constraint Shaping General Aviation Growth – Keith Fryer
- 40 The Role of Simulator-Based Training in General Aviation – Alfredo Schulz
- 42 The Future of Flying Will Be Shaped on the Ground – Sandy Bayne
- 45 e-SAF in South Africa — Energy, Export, and Aviation Reality – Robin Rabec

47 INDUSTRY

Commercial and regulatory forces — shaping aviation beyond the aircraft

- 47 MRO and the Cost of Dependence
- 49 Retrofitting Capability — Modern Avionics and the Legacy Aircraft

51 FLIGHT PATH

Industry in motion — where aviation connects, interacts, and evolves

- 51 AERO South Africa — The Industry Platform General Aviation Needs – Louise Olckers
- 53 Regulating Passenger Drones — Certification, Control and Competence – Keith Fryer

55 HANGAR TALK

Perspective across aviation's past, present, and future

- 55 From Bicycles to Boeings — Rob Garbett





Image Credit: © NASA

UNCONVENTIONAL CONFIGURATIONS

Aviation has always evolved through design. From wood and fabric to composite structures, from analogue instruments to digital flight decks, each shift has redefined what aircraft are capable of — and how they are flown.

Today, general aviation is entering another such phase.

Unconventional configurations, electric propulsion, and new approaches to aircraft architecture are beginning to move beyond research programmes and into operational environments. The conversation, however, is often framed around the aircraft itself — its shape, its propulsion system, or its technical novelty.

This edition takes a different view. Because aircraft do not operate in isolation. They are flown by pilots who must adapt. They are maintained within systems that must support them.

They depend on infrastructure, fuel supply, and economic viability. And increasingly, these factors are shaping design decisions as much as engineering ambition.

From Design To Consequence

The shift towards unconventional aircraft is not simply a matter of configuration.

Electric propulsion introduces fixed-weight energy systems that change how aircraft are balanced and operated. New materials and distributed propulsion systems alter maintenance requirements and certification pathways. Even seemingly incremental changes in cockpit technology reshape training environments and pilot workload.

These are not secondary effects. They are design consequences.

Aircraft As Indicators, Not Endpoints

The aircraft featured in this edition reflect a spectrum of change.

From the Cirrus Vision Jet SF50, which redefines personal jet ownership, to the Pipistrel Velis Electro, which introduces certified electric training capability, each represents a different response to evolving operational demands.

Others, such as the ICON A5 and Burt Rutan's canard designs, illustrate alternative approaches to configuration and control. Meanwhile, aircraft like the Pilatus PC-12 and the Bristell B23 remain grounded in proven design logic, serving as reference points against which change can be measured.

Taken together, these aircraft are not presented as isolated innovations, but as indicators of a broader shift in how aviation is being shaped.

The System That Supports Flight

If design is the starting point, operation is the test. This edition examines that reality through the systems that sustain aviation:

- **Training environments** adapting to new aircraft and technologies.
- **Maintenance** structures balancing cost, capability, and oversight.
- **Fuel** supply shaping operational decisions across regions and sectors.
- **Charter** and ownership models responding to changing utilisation patterns.
- **Infrastructure** — airfields, hangars, and access — defining where aviation can exist at all.

These are not peripheral concerns. They are the conditions within which aircraft must function.

Building Within Constraint

One of the clearest themes to emerge is constraint. Whether in manufacturing, where companies such as Sling Aircraft operate within global markets from regional bases, or in maintenance, where reliance on off-continent capability introduces cost and delay, aviation continues to be shaped by practical limitations.

Even technological progress is subject to these constraints.

Battery systems, for example, do not reduce in weight during flight, altering aircraft design logic. Avionics retrofits extend the life of existing airframes, but must operate within certification and installation limits.

The result is an industry that evolves not only through innovation, but through adaptation.

Where Aviation Is Actually Shaped

Events such as AERO South Africa reflect this reality. They are not simply showcases of aircraft and technology, but platforms where operators, manufacturers, regulators, and service providers intersect — where decisions are made, relationships are formed, and practical solutions are discussed.


In this environment, aviation is shaped not only by what is possible, but by what is viable.


Looking Ahead

The future of aviation is often described in terms of new aircraft. This edition suggests a broader view.

Aircraft design will continue to evolve. But the trajectory of that evolution will be defined just as much by the systems that support flight — training, maintenance, infrastructure, fuel, and economics.

In that sense, the future of flying is not determined in isolation. It is shaped on the ground.






Payment cards that reward

Accepted around the world

Keep your aircraft—and your operation—moving with AVCARD® by World Fuel. For training and maintenance costs, crews can pay the same simple way wherever they fly. Earn World Fuel Rewards on eligible purchases and streamline reconciliation with Level 3 detailed invoices—all with no annual fees*.

*Rewards eligibility subject to program terms. Acceptance and services vary by location.



[Learn more](#)



ELECTRIC FLIGHT
FINDS ITS
ENTRY POINT



RETROFIT
OVER
REPLACEMENT



MRO CAPABILITY
BECOMES A
STRATEGIC ISSUE



FUEL REMAINS
THE CONSTANT
VARIABLE



INFRASTRUCTURE
DEFINES
ACCESS



MANUFACTURING
UNDER
CONSTRAINT



CHARTER DEMAND
REFLECTS
FLEXIBILITY NEEDS



Image Credit: © WAN

GENERAL AVIATION UNDER PRESSURE – SIGNALS FROM A CHANGING SYSTEM

Across general aviation, change is not arriving through a single breakthrough, but through a series of smaller, interconnected shifts. Taken together, these signals point to an industry adapting in real time — often constrained as much as it is enabled by new technology.

Electric Flight Finds Its Entry Point

Electric aircraft development continues to move forward, but not uniformly across all segments. Training remains the most viable entry point. Short, predictable flight profiles align with current battery limitations, allowing aircraft such as the Pipistrel Velis Electro to operate within defined constraints.

Rather than replacing conventional aircraft, electric platforms are beginning to establish themselves in specific operational niches.

Retrofit Over Replacement

A significant portion of the global fleet is not being replaced but upgraded.

Avionics retrofits are extending the operational life of legacy aircraft, introducing digital flight displays, GPS navigation, and autopilot capability into airframes designed decades earlier.

This trend reflects a broader economic reality: capability is increasingly being added to existing aircraft rather than acquired through new ones.

MRO Capability Becomes A Strategic Issue

Maintenance is emerging as a defining constraint, particularly in regions where local capability is limited.

Recent industry discussions, including those at the African MRO Conference, have highlighted continued reliance on off-continent maintenance — driving costs, extending downtime, and exporting technical value.

The development of regional MRO infrastructure is now being positioned not only as a technical requirement, but as an economic and operational priority.

Fuel Remains The Constant Variable

While propulsion technologies evolve, fuel continues to shape day-to-day operations.

Price volatility, regional supply constraints, and infrastructure limitations influence:

- Flight planning
- Aircraft utilisation

- Operator margins

For many in general aviation, fuel is not simply a cost — it is a limiting factor.

Infrastructure Defines Access

Aircraft capability means little without access.

Hangar availability, airfield viability, and regulatory constraints continue to define where aviation can operate. In many regions, infrastructure is not expanding in line with demand.

This creates a growing disconnect: aircraft are evolving faster than the environments they depend on.

Manufacturing Under Constraint

Aircraft manufacturing is often discussed in terms of innovation, but production reality tells a different story.

Manufacturers operating outside traditional centres — such as Sling Aircraft — are balancing certification, cost, and global competitiveness from constrained environments.

This reflects a broader truth: aircraft are designed not only for performance, but for the markets they must survive in.

Charter Demand Reflects Flexibility Needs

Charter and on-demand aviation continue to respond to shifting travel patterns.

Flexibility, point-to-point access, and time efficiency are driving demand, particularly where scheduled networks are limited or inefficient.

However, this growth is balanced by:

- Fuel costs
- Maintenance constraints
- Aircraft availability

The System Is The Story

Taken individually, these signals may appear incremental.

Taken together, they point to a larger shift: Aviation is no longer being shaped by aircraft alone. It is being shaped by the system around them — by infrastructure, cost, training, maintenance, and access.

The next phase of aviation will not be defined by a single breakthrough, but by how well the system adapts to support what already exists.

BEYOND THE TUBE: TESTING THE BLENDED WING BODY

The significance of blended wing body lies not only in its form, but in how it redefines the relationship between lift, structure, and volume.

To understand that shift, it is useful to compare it with the conventional tube-and-wing aircraft that has shaped commercial aviation for decades.

A Return To Airframe Thinking

Modern commercial aircraft are, in many respects, evolutionary. Since the early jet age, the tube-and-wing configuration has proven adaptable, efficient, and operationally practical—refined over successive generations rather than replaced.

Efficiency improvements over the past two decades have followed a consistent pattern. Engine technology



has delivered the most significant gains, while airframe advancements have tended to be incremental. Against this backdrop, JetZero's blended wing body (BWB) concept represents a deliberate shift in focus: back to the airframe as a potential source of step-change efficiency.

Why The Blended Wing Body Is Being Revisited

The blended wing body integrates the fuselage and wing into a single lifting surface, reducing drag and improving lift distribution across the aircraft.

JetZero and its partners have indicated that such a configuration could reduce fuel burn substantially,


with some programme-related statements referring to potential reductions of up to 50% per passenger mile compared with similar-sized aircraft. These figures remain projections and will require validation through full-scale testing and operational assessment.

What distinguishes the current moment is not the novelty of the concept, but the enabling technologies supporting it. Advances in composite materials, digital design tools, and systems integration are allowing configurations once considered impractical to be revisited with greater technical confidence.

AIRCRAFT CROSS-SECTION COMPARISON CABIN AND FUEL TANK ARRANGEMENT


TUBE-AND-WING AIRCRAFT

Conventional layout with separate fuselage and wing structures.



BLENDED WING BODY (BWB)

Integrated design where the fuselage and wings blend into a single lifting body.



KEY DIFFERENCE: Conventional aircraft separate the fuselage and wings, concentrating cabin space within a cylindrical body and fuel primarily within the wings. Blended Wing Body designs integrate these elements, distributing cabin space, structure, and fuel across a unified lifting surface.

BWB integrates lift, structure, and volume—reducing drag while increasing design complexity.


Design Advantages — And Their Limits

The aerodynamic case for a blended wing body is well established. However, its advantages exist alongside a set of structural, operational, and certification challenges.

Airport infrastructure presents an immediate constraint. Conventional aircraft are designed around established gate dimensions and turnaround processes. A wider, shorter aircraft alters those assumptions, potentially requiring adaptations in airport compatibility or aircraft design features.

Pressurisation introduces further complexity. Traditional cylindrical fuselages are inherently efficient pressure vessels. In contrast, the broader, non-uniform internal volume of a blended wing body requires more sophisticated structural solutions. Modern composite materials help address this, offering improved fatigue resistance and enabling more complex geometries, but do not eliminate the challenge.

Image Credit: Dzyne Technologies' regional-sized blended wing body design concept. NASA / DZYNE Technologies / Brendan Kennelly



Cabin layout, passenger experience, and emergency evacuation are additional areas that would require certification-specific solutions. These are not unresolved problems, but they represent design and regulatory considerations that extend beyond aerodynamics.

Manufacturing And Scalability

A central question for any unconventional aircraft is not only whether it can be built, but whether it can be built repeatedly and economically.

Traditional aircraft benefit from scalable fuselage designs, allowing manufacturers to develop families of aircraft with varying lengths and capacities while maintaining high levels of commonality. This underpins operational flexibility for airlines and reduces training and maintenance complexity.

A blended wing body does not inherently support this approach. Each size variant may require distinct structural tooling and manufacturing processes, potentially increasing development cost and complexity.

JetZero has outlined and patented a modular structural concept that suggests one possible approach to this challenge, using repeatable sections to form the aircraft's internal structure. Whether such an approach can be realised within the constraints of certification and large-scale production remains to be demonstrated.

A Demonstrator-First Programme

A defining feature of JetZero's strategy is its focus on a full-scale demonstrator rather than an immediate production aircraft.

The company is developing a full-scale aircraft intended to test and demonstrate the blended wing body configuration in flight, with a first flight currently targeted for around 2027, supported in part by a U.S. Air Force programme valued at approximately \$235 million.

The demonstrator-first approach reflects the scale of the challenge, allowing performance, integration, and operational characteristics to be evaluated before committing to the significantly higher costs associated with certification and production.

Engines, Risk, And Industry Caution

In contrast to its unconventional airframe, JetZero's approach to propulsion—at least for the demonstrator—leans toward established technology.

The company is working with Pratt & Whitney and Collins Aerospace on propulsion integration for the demonstrator aircraft, using proven engine architecture rather than introducing an entirely new propulsion system.

This reflects a broader industry dynamic. Following a period marked by technical challenges and supply chain pressures in new-generation engines, operators and lessors have shown increased caution toward unproven propulsion systems. As a result, introducing a novel airframe may be balanced by greater conservatism elsewhere in the aircraft system.

Programme Credibility And Industry Interest

JetZero's programme is supported by a combination of aerospace expertise, industrial partnerships, and early-stage airline engagement.

Airline interest includes investment and conditional commitments. Alaska Airlines has invested in the programme with options for future aircraft, while United Airlines has entered into a conditional purchase agreement linked to development milestones, including the successful flight of the demonstrator aircraft.

These agreements do not constitute firm orders, but indicate that the concept is being evaluated not only as a technical exercise, but as a potential future operational platform—subject to performance, certification, and economic viability.

What This Means For Aircraft Design

JetZero's blended wing body is not a near-term replacement for conventional airliners. The challenges associated with certification, infrastructure compatibility, and production remain substantial. Its significance lies instead in what it represents.

For decades, the industry has focused on incremental improvements within a stable configuration. The blended wing body reopens the question of whether further gains in efficiency and performance may require more fundamental changes in aircraft architecture.

In this context, JetZero's programme is best understood as a test case—one that explores whether a non-traditional configuration can move beyond research and demonstration into practical, certifiable application.

It seeks to revisit a configuration long associated with experimental and military programmes, while recognising that any transition to commercial service must be grounded in demonstrable performance, certification feasibility, and operational practicality.

What it does clearly is reopen a question the industry has largely set aside: not how far the current configuration can be refined, but whether a different one can be made to work.



THE INDUSTRY STANDARD FOR AVIONICS TESTING.

T-RX

- ➔ Rugged and compact
- ➔ Easy setup
- ➔ Straightforward
- ➔ Automated reporting
- ➔ Single page test results



T-RX
AVIONIC TESTER



ADSE650
ADTS



BCA
BATTERY TEST



ATEQ SOUTH AFRICA (PTY) LTD
Manor Place 9 - 299 Kruger Avenue - Lyttelton Manor Centurion
South Africa - 0157 - T.: +27 83 271 6848 - drikus@ateqsa.co.za - ateq-aviation.com





THE DATA BEHIND THE DECISION: WHY AERONAUTICAL INFORMATION IS BECOMING AVIATION'S CRITICAL INFRASTRUCTURE

By Mehmet Keyvan

Flight operations are increasingly shaped not only by aircraft capability, but by the quality and integrity of the data that underpins every decision. From dispatch to execution, aeronautical information is shifting from a support function to a core operational system.

From Data Abundance To Data Management

Airlines today are not constrained by a lack of data; they are challenged by the complexity of managing it. Across modern operations, critical datasets such as navigation data, NOTAMs, terrain information, obstacles, and airport data are sourced from multiple providers, often in different formats and with varying update cycles.

This fragmentation introduces a fundamental operational risk. When datasets are not fully harmonised, inconsistencies can emerge between flight planning systems, dispatch platforms, and onboard avionics. In an environment where precision is essential, even minor discrepancies can affect efficiency, increase

workload, and, in certain cases, introduce safety concerns.

Timeliness adds another layer of complexity. Airspace is becoming increasingly dynamic, influenced by geopolitical developments, temporary restrictions, and operational constraints. Data that is not updated, validated, and distributed in near real time can quickly become operationally irrelevant.

As a result, operational performance is now closely tied to data integrity. Airlines that can rely on accurate, timely, and integrated data are better positioned to optimise routes, control costs, and maintain consistent safety standards.

The Shift To Continuous Flight Planning

The growing reliance on real-time data has fundamentally changed the nature of flight planning and dispatch. What was once a largely pre-flight activity has evolved into a continuous, dynamic process.

With the constant flow of NOTAMs, airspace restrictions, weather inputs, and operational updates, dispatch has become an ongoing decision-making function. Flight plans are no longer static; they are actively monitored and adjusted throughout the flight lifecycle.

This shift has increased both complexity and operational criticality. Dispatch teams must process large volumes of time-sensitive information, assess impact rapidly, and ensure that updates are accurately synchronised between ground systems and cockpit avionics.

At the same time, the benefits are significant. Airlines are able to optimise routes dynamically, avoid congested or restricted airspace, and respond more effectively to disruption. The result is improved fuel efficiency, reduced delays, and enhanced operational resilience.

However, this evolution introduces a clear dependency: the need for trusted, real-time, and fully validated data. Without high data integrity and seamless integration, the value of real-time information diminishes rapidly.

Certified Data And Operational Trust

A critical distinction in this environment is between certified aeronautical data and standard datasets.

Certified data is produced and validated in accordance with strict regulatory frameworks, including those defined by EASA, FAA, and ICAO. Each data point is traceable to its source, verified through structured quality management systems, and subject to both automated and human validation processes.

By contrast, standard datasets may be broadly accurate but often lack full traceability, auditability, and regulatory accountability.

Operationally, this distinction is significant. Certified data is required for use in avionics systems, flight management systems, and simulator environments to ensure consistency between planning, execution, and training. Any discrepancy across these domains increases workload and introduces risk.

For airlines, certified data provides a foundation of trust — reducing regulatory exposure, supporting compliance, and ensuring that operational decisions are based on information that is both accurate and verifiable.

Operating In Unstable Airspace Environments

The importance of data integrity becomes even more pronounced in regions affected by geopolitical or airspace instability.

In these environments, airspace structures can change rapidly. Routes may be closed or restricted with limited notice, and the volume of NOTAMs can increase significantly. The challenge is not simply access to information, but the ability to ensure that it is accurate, validated, and immediately usable.

High-integrity data enables airlines to respond with confidence. Dispatch teams can assess alternative routings, evaluate risk exposure, and maintain compliance with evolving restrictions. At the same time, pilots depend on consistent and synchronised data between ground systems and onboard avionics to avoid uncertainty in already complex operational conditions.

Traceability is equally critical. Operators must be

certain of the origin and validity of the data they are using. Certified and well-governed datasets provide this assurance, enabling continuity of operations while maintaining safety and regulatory compliance.

Data As Operational Infrastructure

Looking ahead, aeronautical data is evolving beyond a supporting resource to become core operational infrastructure.

As digital systems and automation become more deeply embedded in aviation, data is no longer simply consumed; it drives system performance. Flight management systems, trajectory-based operations, advanced simulators, and AI-supported decision tools all depend on the quality, structure, and timeliness of the data they use.

The industry is moving towards fully digital, machine-readable, and continuously updated data environments. Traditional static data cycles are being replaced by dynamic data streams, enabling real-time route optimisation, predictive risk assessment, and more adaptive operational decision-making.

This shift places increasing emphasis on standardisation and interoperability. As systems become more interconnected, data must be globally consistent and immediately usable across platforms, aircraft, and regions.

In this context, trusted data is becoming a strategic asset. Airlines and aviation stakeholders that invest in high-quality, certified, and well-structured data ecosystems will be better positioned to leverage automation, improve efficiency, and maintain safety at scale.

The future of aviation will not be shaped by aircraft and technology alone, but by the quality and intelligence of the data that powers them.



Third Party Liability [LEARN MORE](#)

Insure now with DJA Aviation
Your aviation broking specialist
Defining the Right Approach to Aviation Insurance

www.dja-aviation.co.za
An authorised FSP - No 15808

Call 0800 FLYING

[f](#) [@](#) [in](#) 

Aviation Insurance

FROM EXPERIMENT TO APPLICATION

Why propulsion — not the aircraft — is driving aviation's next design shift

Much of the discussion around electric aviation focuses on new aircraft entering the market. The more important story lies elsewhere. The real shift is not the aircraft — it is the propulsion system, and how it is beginning to dictate the form of the aircraft itself.

Why This Matters Now

For more than a century, aircraft have followed a familiar logic: propulsion is added to the airframe, integrated within known constraints, and refined over time. What is now unfolding challenges that sequence.

Electric propulsion is not simply replacing the engine. It is changing how the aircraft is conceived from the outset.

Understanding that shift is essential — because it explains why aircraft are beginning to look, behave, and operate differently.

An Experimental Turn In The Story

Electric propulsion in aviation did not begin with a single programme or aircraft. It has developed through a broader and uneven trajectory — shaped by research, constraint, and evolving design priorities.

Within that progression, the NASA X-57 Maxwell represents a distinct experimental phase, where propulsion was no longer treated simply as a source of thrust, but as a variable in aerodynamic design.

Rather than being developed for commercial service, the X-57 was intended to investigate how electric propulsion could be distributed across an airframe, and what that might mean for efficiency, system integration, and future certification thinking.

By placing multiple electric motors along the wing, the programme explored a shift in logic: propulsion could influence airflow, augment lift, and begin to shape the aircraft itself.



Image Credit: © NASA



Artist Impression of the x-57 Maxwell. Image Credit: © NASA

Key facts:

- Base airframe: Tecnam P2006T light twin
- Propulsion: 12 high-lift electric motors and 2 cruise motors
- Primary objective: Advance distributed electric propulsion research and certification understanding
- Status: Programme concluded in 2023 prior to flight testing

The X-57 did not enter service, but its relevance lies in the questions it helped to define.

It marked a point at which propulsion began to move from being an installed system to becoming a design driver — a shift that continues to influence how new aircraft are conceived.

What Changed — And Why It Was Not Obvious

The move from experimentation to application has not been straightforward.

Electric propulsion introduced new freedoms:

- Motors can be placed across the airframe
- Airflow can be managed differently
- Lift and thrust can be more closely linked

But those freedoms came with constraints.

Managing heat without adding weight, controlling multiple propulsion units simultaneously, ensuring redundancy, and defining certification pathways for entirely new architectures have all proven complex.

Much of the real progress has taken place here — not in announcements, but in resolving the engineering relationships between propulsion, structure, and control systems.

From Possibility To Practice

The ideas explored in experimental programmes have, in some cases, progressed into aircraft intended for real-world operation — though not always successfully.

The Lilium Jet is one of the most prominent attempts to translate distributed electric propulsion into a commercially viable aircraft. Its configuration — multiple ducted fans integrated into the wing structure — reflects a direct evolution of earlier research concepts.

However, the transition from concept to operation has proven complex. Development timelines, certification requirements, and capital intensity have all presented significant challenges, and the programme entered insolvency proceedings before reaching commercial service.

This is not unique to a single manufacturer. Across the sector, multiple programmes are navigating similar constraints — balancing technological ambition with operational and economic realities.

Rather than converging on a single solution, the industry is advancing along several pathways:

- VTOL aircraft for urban and regional mobility
- Hybrid-electric designs to extend range and operational viability
- Hydrogen-electric systems targeting larger platforms

The direction is clear. The outcome remains uncertain.

The Real Shift: Propulsion As Architecture

The most important change is not technological — it is conceptual.

For decades, aircraft design has been driven by aerodynamic efficiency within the limits imposed by propulsion systems. That relationship is now reversing.

Electric propulsion allows:

- Engines to be distributed rather than centralised
- Wings to be designed for different airflow

behaviour

- Weight to be managed differently across the structure
- Control systems to integrate propulsion and flight dynamics

In simple terms: propulsion is no longer a system added to the aircraft it is becoming a defining part of the aircraft's structure

Why The Transition Is Not Linear

If this shift is so significant, why has it not yet translated into widespread commercial aircraft? The answer lies in constraint.

Battery energy density remains limited. Thermal management introduces complexity. Infrastructure is still developing. Certification takes time.

These are not minor obstacles — they define what is currently achievable.

As a result, the industry is not moving in a straight line towards full electrification. Instead, it is adapting:

- Hybrid systems extending range
 - Mission-specific aircraft targeting viable use cases
 - Incremental integration of electric technologies
- This is not failure. It is progression under constraint.

What This Means For Aviation

The significance of this transition is not that a new type of aircraft will replace existing fleets overnight. It is that the underlying logic of aircraft design is changing.

The next generation of aircraft will not be defined by a single configuration or propulsion type. They will be defined by a more flexible relationship between power, structure, and mission.

Some designs will succeed. Others will not. But collectively, they are reshaping how aircraft are conceived.

Not all experimental aircraft are intended to succeed in the conventional sense. Programmes such as the X-57 Maxwell expanded the boundaries of what is possible. Others, attempting to bring those ideas into operational reality, are revealing the scale of the challenge.

Electric propulsion is no longer simply an alternative to conventional engines. It is a driver of design.



SIMUFLIGHT

TRAINING FLIGHT DECK EXCELLENCE

ATO 1050 - SINCE 2003

PC-12 Simulator Training in South Africa Lined Up Awaiting Take-Off Clearance

Exciting news for PC-12 operators and pilots
Simuflight's advanced training solutions are now ready to deliver realistic,
hands-on experience for this versatile aircraft

Don't miss your chance to train in this type-specific simulator



Register your interest now!

www.simuflight.co.za

18 Suni Avenue, Corporate Park South Midrand • Tel. +27 11 314 0152

Email: sales@simuflight.co.za



FROM NICHE TO NECESSITY: WHY UNCONVENTIONAL AIRCRAFT ARE MOVING INTO THE MAINSTREAM

By Market and Markets

The shift away from traditional aircraft design is no longer theoretical. As energy constraints, mission demands, and cost pressures converge, unconventional configurations are moving steadily into the mainstream.

Design Responding To Reality

Unconventional aircraft are often described in terms of innovation, but their growing relevance is less about novelty and more about response. Across aviation, design is being shaped by a combination of constraints that traditional configurations struggle to address efficiently.

Energy availability, operating cost pressure, infrastructure limitations, and mission-specific requirements are forcing a reassessment of long-established design assumptions. The result is not a single new aircraft category, but a broad shift towards configurations tailored to specific operational needs rather than general-purpose performance.

This transition marks a departure from the legacy model of aviation, where aircraft were designed for flexibility across a wide range of missions. Increasingly, efficiency is achieved through specialisation.

Energy As A Design Driver

Energy is emerging as one of the most decisive factors shaping aircraft architecture. Unlike conventional fuel, which reduces in weight during flight, battery systems impose a fixed mass penalty that directly influences range, payload, and performance.

This constraint is driving new approaches to aircraft configuration. Distributed propulsion, lightweight composite structures, and aerodynamic optimisation are no longer incremental improvements but necessary adaptations.

Electric and hybrid propulsion systems further reinforce this shift. Rather than simply replacing fuel with batteries, designers are rethinking the entire aircraft around energy efficiency. In many cases, this results in configurations that diverge significantly from traditional tube-and-wing designs.

The implication is clear: energy is no longer just a systems consideration. It is a primary determinant of aircraft form.

Mission-Specific Architecture

A second defining shift is the move towards mission-specific aircraft design. In sectors such as pilot training, aerial survey, agriculture, and short-range transport, operators are prioritising aircraft that deliver efficiency within clearly defined operational envelopes.

Ultralight and light sport aircraft illustrate this trend. Their lower acquisition and operating costs make them suitable for training environments and entry-level aviation, but their design is also increasingly aligned with specific use cases rather than general aviation versatility.

This same logic extends to special mission platforms. Whether configured for surveillance, patrol, or search and rescue, these aircraft are optimised for particular roles, often sacrificing range or payload flexibility in favour of efficiency and responsiveness.

The result is a growing ecosystem of aircraft that are purpose-built rather than broadly adaptable.

UAVs As Proof Of Concept

Uncrewed aerial vehicles provide a clear example of how unconventional design becomes operationally normalised. Free from the constraints of onboard pilots, UAVs have enabled configurations that prioritise endurance, efficiency, and mission effectiveness.

Their use in Intelligence, Surveillance, and Reconnaissance (ISR), maritime patrol, and border security demonstrates how non-traditional aircraft can outperform conventional platforms in specific roles. Missions that are described as dull, dirty, or dangerous are increasingly assigned to systems designed without reference to legacy aircraft architecture.

Advancements in propulsion, sensor integration, and autonomous operation have further reinforced their position. As UAV capabilities expand, they continue to influence broader design thinking across aviation.

In this context, UAVs are not an isolated category. They represent a working model of how design evolves when freed from traditional constraints.

Regulation And Infrastructure As Enablers And Limits

The transition towards unconventional aircraft is not driven by technology alone. Regulatory frameworks and infrastructure requirements play a defining role in determining how quickly these designs can move from concept to operation.

Certification pathways for new propulsion systems and aircraft categories remain complex and vary



significantly across regions. At the same time, the integration of UAVs into controlled airspace introduces additional layers of operational and regulatory complexity.

Infrastructure presents a similar challenge. While some unconventional aircraft require minimal support, others depend on new systems for energy supply, traffic management, and operational coordination. In many cases, the pace of infrastructure development will determine the viability of these aircraft in commercial environments.

This creates a dynamic where innovation must align not only with engineering feasibility but also with regulatory acceptance and practical deployment conditions.

From Prototype To Operational Necessity

For much of the past decade, unconventional aircraft were associated with future-facing concepts and experimental programmes. That positioning is beginning to shift.

Rising fuel costs, environmental pressures, and the demand for more efficient operations are accelerating the transition from prototype to application. The focus is increasingly on what can be deployed, maintained, and integrated within existing systems.

This shift is particularly visible in sectors where cost sensitivity and operational constraints are most pronounced. Here, unconventional aircraft are not competing with traditional designs on novelty, but on their ability to deliver measurable efficiency gains.

A Structural Shift In Aviation Design

The move towards unconventional aircraft is not a short-term trend. It reflects a broader structural change in how aviation approaches design, performance, and operational efficiency.

Rather than replacing conventional aircraft entirely, these new configurations are expanding the spectrum of solutions available to operators. In doing so, they are reshaping expectations around what an aircraft should be and how it should perform.

In 2026, the defining question is no longer whether unconventional aircraft will enter the mainstream. It is how quickly the industry can adapt to the realities that are driving their adoption.

SINCE 1965

AVEX PILOT STUDY NOTES

AVEX Information Products has accompanied pilots through their aviation careers for over fifty years. Our Comprehensive and complete **Pilot Study Notes** for Private Pilot and Commercial Pilot Licence students are available in both Aeroplane and Helicopter student kits.

www.avexair.com

EST. 1965

AVEX INFORMATION PRODUCTS
An Avex Group Company

+27 (0)11 974 4855
Email: lebo@avexair.com





Bristell B23 Energic Image Credit: BRM Aero

DESIGNING FOR ELECTRICITY – HOW THE BRISTELL B₂₃ ENERGINIC IS RESHAPING AIRCRAFT ARCHITECTURE FROM THE INSIDE OUT

Electric propulsion is often framed as a change in energy source. In practice, it is forcing a far deeper shift — one that reaches into the architecture, weight balance, and operational logic of the aircraft itself. The Bristell B₂₃ Energic offers a clear view of how that transition is beginning to take shape in the training environment.

A New Design Driver: Energy, Not Engine

Electric propulsion removes many of the constraints that have traditionally defined light aircraft design. Without the need for a combustion engine, fuel systems, and associated mechanical complexity, designers are presented with new degrees of freedom — but also new limitations.

The integration of H55's certification-ready battery modules into the Bristell B₂₃ Energic highlights this shift. The propulsion system is no longer a contained unit at the front of the aircraft; instead, energy storage becomes a distributed design consideration, influencing structure, balance, and safety architecture. This transition marks a fundamental change: aircraft are no longer designed around propulsion units, but around energy systems.

Weight, Balance And The Reality Of Battery Systems

Unlike liquid fuel, battery systems introduce fixed weight that does not reduce during flight. This has direct implications for aircraft design and mission planning. For the B₂₃ Energic, this means:

- Careful positioning of battery modules to maintain centre of gravity limits
- Structural integration to support battery mass

- without compromising performance
- Trade-offs between endurance, payload, and training cycles

These constraints are not disadvantages — they are design drivers, shaping how electric aircraft are configured from the outset.

In contrast to piston aircraft, where fuel burn continuously alters aircraft weight and balance, electric aircraft operate with a consistent mass profile, changing how performance is managed throughout the flight envelope.

Designing For The Training Environment

The selection of the pilot training market as the entry point for the B23 Energic is deliberate.

Training operations offer:

- Predictable mission profiles
- Short flight durations
- High utilisation cycles

These characteristics align with current battery capabilities, making training aircraft a practical first application for electric propulsion.

The B23 Energic is designed to deliver:

- Reduced operating and maintenance costs
- Lower noise footprint
- Simplified systems compared to conventional piston aircraft

At the same time, it must maintain the reliability and performance required for intensive daily operations — a key requirement for flight schools.

Certification As The Real Threshold

While electric flight has been demonstrated for years, certification remains the defining barrier to commercial adoption.

The delivery of conforming, certifiable battery modules by H55 marks a significant step in this process. These systems are designed not only for performance, but for regulatory acceptance — incorporating safety architecture, testing protocols, and failure management aligned with certification requirements.

This is where many programmes face their greatest challenge:

- Thermal management and failure containment
- Redundancy and system isolation
- Validation under worst-case scenarios

The B23 Energic programme is moving beyond demonstration into certification-driven development, positioning it closer to operational reality.

From Development To Deployment

With first deliveries targeted for 2027 and early production capacity already allocated, the programme is transitioning from concept to execution.

This shift is significant. It indicates:

- Market demand is emerging ahead of full certification
- Operators are beginning to plan for integration

- Electric aircraft are entering structured production pathways

For H55, the development of certification-grade energy storage systems represents a platform approach — one that can be applied across multiple aircraft programmes.

What This Means For Aircraft Design

The Bristell B23 Energic is not an endpoint — it is an early indicator.

Electric propulsion is beginning to influence:

- Aircraft configuration and internal architecture
- System integration priorities
- Maintenance models and lifecycle planning

More importantly, it is shifting the design conversation away from:

“What engine does the aircraft use?”

towards:

“How is energy stored, managed, and distributed?”

That change will define the next generation of aircraft — not only in training, but across broader segments of aviation.

The transition to electric aviation will not be defined by a single aircraft or breakthrough moment. It will emerge through incremental steps — programmes like the Bristell B23 Energic that bridge the gap between concept and operation.

In doing so, they reveal a deeper shift underway: aircraft are no longer being shaped solely by aerodynamics or propulsion mechanics, but by the realities of energy itself.



KEY FACTS

- Aircraft: Bristell B23 Energic
- Manufacturer: BRM Aero
- Propulsion: Fully electric (H55 system)
- Application: Pilot training
- First deliveries: Targeted for 2027
- Market: Europe and United States (initial orders secured)

BATTERY REALITY: WHY ELECTRIC AIRCRAFT CARRY THEIR WEIGHT DIFFERENTLY

Electric propulsion changes more than the power source. It changes the mass profile of the aircraft itself, forcing designers to rethink weight, balance, and structural integration from the outset.

Fixed Weight Vs Fuel Burn

One of the most important differences between conventional and electric aircraft is not immediately visible, but it has major design consequences.

A fuel-burning aircraft becomes lighter as it flies. As fuel is consumed, total aircraft weight falls, and fuel burn can also affect centre of gravity depending on tank location. In many smaller aircraft, wing tanks are close to the CG, so the effect on balance may be limited, but the reduction in total weight remains significant.

A battery-electric aircraft does not gain that advantage. The battery discharges, but its mass remains essentially constant throughout the flight. In practical terms, the aircraft carries its energy-storage weight from take-off to landing. NASA research into electrified aircraft weight and balance highlights this as a major design consideration, as batteries can make up a large share of total aircraft weight and significantly influence

CG location and stability characteristics.


That changes the mass logic of the aircraft. A conventional aircraft is progressively relieved of part of its energy weight as the mission continues. An electric aircraft is not. The result is that battery placement, landing loads, structural design, and mission planning must be addressed as an integrated design problem from the outset.

Centre Of Gravity Implications

In conventional aircraft, CG can shift during flight as fuel is burned. FAA guidance notes that fuel burn may affect CG depending on where fuel is carried, and that loading and fuel management are two of the main variable factors influencing both total weight and CG location.

Electric aircraft simplify one part of this picture because battery mass does not move or reduce in the same way. NASA X-57 research shows that with battery power consumption, aircraft weight and CG location remain effectively constant throughout the flight. As a result, there is no corresponding change in flying qualities associated with fuel consumption.

However, that simplification introduces a different constraint: battery placement becomes more critical at the design stage. NASA's PEGASUS study found



Heart Aerospace ES-30 Battery system. Image Credit: Heart Aerospace

BATTERY REALITY


THE WEIGHT EQUATION THAT SHAPES EVERY MISSION

Fuel becomes lighter as you fly. Batteries don't.

In electric aircraft, the energy source remains a fixed mass—so useful load and range are set at take-off and cannot improve in flight.

Understanding this difference is essential to designing the right aircraft for the right missions.

WEIGHT OVER TIME: FUEL vs BATTERY



KEY IMPLICATIONS

- As fuel burns, conventional aircraft get lighter and more efficient.
- Electric aircraft carry the same battery weight from take-off to landing.
- This leads to a persistent weight constraint that limits useful load and range from the start.
- Aircraft and mission design must account for energy as a fixed mass, not a depleting resource.

BALANCING NOTE

Electric aircraft offer important advantages: simpler systems, lower maintenance, and high efficiency in certain flight regimes—particularly valuable in training and short-range operations.

MISSION IMPACT AT TAKE-OFF


Mission Factor	Conventional (Fuel)	Electric (Battery)
USEFUL LOAD (same aircraft)	↑ Higher available useful load	↓ Lower available useful load at take-off
RANGE (same energy)	↑ Extent driven by fuel capacity	↓ Limited range due to fixed energy mass
FLEXIBILITY & RESERVE	↑ Greater reserve and diversion flexibility	↓ Limited reserve with current battery technology

All comparisons assume the same class of aircraft and similar mission profile.

WHY IT HAPPENS

FUEL: REDUCING MASS

Fuel mass decreases as it is burned.




BATTERY: FIXED MASS

Battery mass remains the same.



AIRCRAFT COMPARISON (SAME CLASS EXAMPLE)

CONVENTIONAL AIRCRAFT (FUEL)	ELECTRIC AIRCRAFT (BATTERY)
Energy Source: Fuel	Energy Source: Battery
Energy Weight: Decreases in flight	Energy Weight: Fixed
Useful Load: Higher at take-off	Useful Load: Lower at take-off
Range Potential: Greater	Range Potential: Limited
Operational Flexibility: Higher	Operational Flexibility: Lower



THE TAKEAWAY

Electric aircraft are **primarily** constrained by energy storage rather than power availability.

BETTER ENERGY DENSITY = MORE PAYLOAD, MORE RANGE, MORE CAPABILITY. THAT IS THE UNLOCK.

Source: World Airnews Research

WORLD AIRNEWS

that batteries, and to a lesser extent electric motors, can significantly affect CG position and the horizontal tail size required for longitudinal static stability. It also showed that moving electric-component mass forward

may reduce the tail size required for static stability, while negatively affecting dynamic stability.

In other words, electric aircraft do not remove the CG problem — they shift it upstream. Instead of managing changing fuel loads in operation, designers must resolve a dense, fixed mass that remains onboard for the entire mission.

Why This Matters

Certification rules already require aircraft to demonstrate compliance across critical combinations of mass and centre of gravity. EASA CS-23 makes this explicit: applicants must determine safe mass and CG limits, and the design must comply across the full range of loading conditions.

For electric aircraft, that requirement becomes especially important because the energy source is also a persistent mass load. The aircraft does not “burn away” part of its weight in flight. That makes battery-electric design not simply a propulsion question, but fundamentally a weight-and-balance problem.

Electric aircraft are often discussed in terms of emissions, noise, or energy systems. Those are important, but they can obscure a more immediate engineering reality: batteries change how an aircraft carries its weight.

Fuel-powered aircraft grow lighter as they fly. Battery-electric aircraft do not. That single distinction has consequences for structure, stability, landing loads, and the overall logic of aircraft design.



CIRRUS VISION JET (SF50) – REDEFINING THE PERSONAL JET



Vision Jet SF50 Image Credit: AOPA

The Cirrus Vision Jet SF50 is often described as unconventional, yet its significance lies less in how it looks than in how it repositions jet ownership within general aviation. By reducing complexity — in systems, operation, and pilot transition — it challenges the long-standing assumption that turbine aircraft must sit apart from the owner-flown market. In doing so, it raises a broader question: when design simplifies access rather than performance, does it redefine the category itself?

A New Category In General Aviation

When the Cirrus Vision Jet achieved FAA certification in 2016, it introduced something aviation had not previously seen: a certified, single-engine personal jet designed specifically for owner-pilots. In doing so, it created a new category positioned between high-performance piston or turboprop aircraft and traditional light jets.

Nearly a decade later, with over 700 aircraft delivered and continued production, the Vision Jet is firmly established in operational service across private, business, and Part 135 use. It is not an experimental deviation, but a functioning part of the general aviation ecosystem.

Design And Configuration

The aircraft's configuration reflects its intent. A single Williams FJ33 turbofan is mounted above the rear fuselage, paired with a distinctive V-tail. This arrangement reduces system complexity and improves cabin usability, while also contributing to lower cabin noise through separation of the engine from the fuselage.

Constructed largely from composite materials, the aircraft maintains a clean aerodynamic profile while prioritising structural efficiency and weight control.

Safety And Technology

Safety is central to the Vision Jet's identity. The aircraft incorporates the Cirrus Airframe Parachute System (CAPS), a whole-aircraft recovery system designed to lower the aircraft and its occupants safely to the ground in an emergency.

More recently, Cirrus introduced Safe Return — an emergency autoland system that allows passengers to initiate a fully automated landing sequence in the event of pilot incapacitation. This system integrates with avionics, terrain data, and air traffic communication to guide the aircraft to a suitable airport.

Additional systems such as electronic stability protection, auto radar, and tactile stall warning further reinforce a layered safety philosophy.



Image Credit: Vision Jet

Performance And Operation

With a maximum cruise speed of approximately 317 knots and a range of around 1,275 nautical miles, the Vision Jet is optimised for regional missions rather than long-haul performance.

Its relatively short take-off distance and simplified operating procedures make it accessible to pilots transitioning from high-performance piston aircraft. This has been a defining aspect of its adoption — the aircraft is designed not just to be flown, but to be transitioned into.

Regulation And Market Impact

The Vision Jet's certification marked a shift in how regulators approach non-traditional configurations within established categories. By successfully certifying a single-engine jet with integrated safety systems, Cirrus demonstrated that unconventional design could be accommodated within existing frameworks.

Commercially, the aircraft has been among the most delivered business jets in recent years, indicating that its positioning resonates with the market.

An often-overlooked detail is that the Vision Jet's significance lies not only in its configuration, but in its systems integration. It is one of the first aircraft where automation, safety, and ownership simplicity are designed as a unified proposition — not as incremental additions.

Key Facts

- Engine: Williams International FJ33-5A turbofan (1,846 lbf thrust)
- Cruise speed: approximately 300–311 KTAS
- Range: approximately 1,200 nautical miles
- Ceiling: 28,000–31,000 ft
- Seating: up to 7 occupants
- Entry into service: 2016

Design And Configuration

The Vision Jet features a low-wing configuration, a pressurised carbon-fibre fuselage, and a distinctive V-tail with a single dorsal-mounted engine. This arrangement reduces system complexity while maintaining aerodynamic efficiency and usable cabin volume. The

aircraft is designed around a single-pilot operating philosophy, with a cockpit centred on the Garmin Perspective Touch+ flight deck. Trailing-link landing gear supports stable handling and enables operation from relatively short runways for a jet in this class.

Safety And Technology

A defining feature of the Vision Jet is the Cirrus Airframe Parachute System (CAPS), extending whole-aircraft ballistic recovery into the turbine category. Additional systems include electronic stability and protection, stall awareness and intervention, and automated descent modes in the event of pilot incapacitation. Later variants introduced autothrottle and the Safe Return emergency autoland system, allowing the aircraft to navigate and land autonomously under defined conditions.

Performance And Operation

Cruising at approximately 300 knots, the Vision Jet offers regional mission capability with a range of around 1,000–1,200 nautical miles and a ceiling approaching FL310. Fuel burn averages approximately 65–70 US gallons per hour. The aircraft is certificated for single-pilot operation, with handling and systems philosophy aligned to ease transition from high-performance piston aircraft.

Market Impact

Positioned between piston aircraft and conventional business jets, the Vision Jet has expanded access to turbine flight. By combining simplified operation with integrated safety systems, it has broadened the owner-operator segment and demonstrated demand for aircraft that prioritise usability alongside performance. Its commercial success has influenced how manufacturers approach entry-level jet design.

The Vision Jet does not redefine aviation through radical form, but through the reconfiguration of expectation. By aligning turbine capability with simplified ownership and operation, it narrows the gap between aspiration and practical use. Its significance lies not only in performance, but in how it expands the boundaries of who can realistically operate a jet — and under what conditions.



Vision Jet Avionics. Image Credit: Vision Jet

Aviation Solutions for Challenging Environments



Delivering safe and reliable aviation services across Africa

AIR-TEC Core Capabilities

- ✓ ACMI & Dry Leasing Solutions
- ✓ Operations & Regulatory Management
- ✓ Maintenance & Technical Support
- ✓ Crew, Training & Standardization



Training

AIR-TEC has the only approved L410 – FNPT 2 Simulator in the Southern Hemisphere





frica and beyond



Aircraft Industries L410

Short take-off & remote airstrip capability



Beechcraft 1900D

Regional crew transport



BELL 206 Jet Ranger



Air Operator Certificates

- South Africa
- Mauritius
- Mozambique

Specialist Aviation Services for Oil and Gas, Mining and Humanitarian Industries

Some of our clients include the World Food Programme | International Red Cross | Doctors Without Borders | United Nations





Image Credit: © EASA

PIPISTREL VELIS ELECTRO – WHEN ENERGY DEFINES THE AIRCRAFT

The Pipistrel Velis Electro brings electric propulsion into present-day operation, moving the discussion beyond future potential. As the first fully electric aircraft to achieve type certification, it does not simply replace fuel with batteries — it reshapes how an aircraft is designed, scheduled, and used. In this context, the central question shifts: not whether electric flight is possible, but how its limitations redefine what is practical.

A New Category In General Aviation

Certified by EASA in 2020, the Velis Electro became the first fully electric aircraft approved for commercial use, marking a significant milestone in general aviation.

Unlike experimental or prototype electric aircraft, it operates within established regulatory frameworks, positioning it as a practical rather than conceptual platform.

Its role is clearly defined: flight training. Rather than attempting to replicate the mission profile of

conventional piston aircraft, the Velis Electro aligns its capabilities with circuit training, short-duration sorties, and repetitive operations — environments where its characteristics offer operational advantages.

Design And Configuration

Based on Pipistrel's proven light aircraft platform, the Velis Electro adopts a conventional low-wing configuration with a two-seat cockpit. The most significant design departure lies in its propulsion system.

The aircraft is powered by the E-811 electric motor, supported by a dual battery system — one mounted in the nose and another behind the cabin to maintain balance. This configuration replaces the traditional fuel system entirely, resulting in a simplified mechanical layout with fewer moving parts.

Thermal management becomes a central design consideration. Dedicated cooling systems regulate both the motor and battery packs, influencing airflow design and overall aircraft architecture. The result is an aircraft where propulsion, weight distribution, and cooling are tightly integrated.

Safety And Technology

Safety in the Velis Electro is approached through system monitoring and operational transparency. The aircraft incorporates a battery management system that continuously tracks energy state, temperature, and system health, providing the pilot with real-time feedback.

The electric powertrain reduces mechanical complexity, eliminating many of the failure points associated with internal combustion engines. At the same time, it introduces new considerations, particularly around energy management and reserve margins.

From a regulatory perspective, its EASA type certification represents a significant step — not only validating the aircraft itself, but establishing a certification pathway for future electric designs.

Performance And Operation

The Velis Electro is defined as much by its limitations as by its capabilities. Endurance is approximately 50 minutes, with additional reserve, positioning it firmly within short-duration training operations.

This constraint fundamentally reshapes operational planning. Flight schools must adapt scheduling, charging cycles, and sortie structure to align with the aircraft's energy profile. However, within this framework, the aircraft offers advantages — including low operating noise and reduced direct operating costs.

Its quiet operation, typically around 60 dB, also enables training closer to urban environments, addressing one of the long-standing constraints of flight training infrastructure.

Regulation And Market Impact

The Velis Electro's certification marked a turning point in how regulators approach electric propulsion. Rather than adapting existing standards, authorities were required to interpret and extend certification frameworks to accommodate new technologies.

In the market, the aircraft represents a shift towards mission-specific design. Instead of attempting to replace conventional aircraft across all roles, it demonstrates how electric propulsion can be effectively integrated into defined operational niches.

Its impact extends beyond its own production numbers — serving as a reference point for both manufacturers and regulators as electric aviation continues to evolve.

The Velis Electro highlights a fundamental shift in aviation design logic. Where traditional aircraft are shaped around performance and range, electric aircraft are defined by energy availability — introducing a constraint that influences every aspect of design and operation.

The Velis Electro makes clear that the transition to electric flight will not be driven by direct replacement, but by adaptation. Its limitations are not shortcomings, but parameters that reshape operational thinking. In this sense, it represents less a finished solution than a working framework — offering a practical view of how new propulsion systems begin to integrate into everyday aviation.



Image Credit: © Pipistrel



Image Credit: ICON

ICON A5 – REFRAMING FLIGHT AS EXPERIENCE

The ICON A5 does not attempt to compete with conventional general aviation aircraft on speed, range, or payload. Instead, it challenges a more fundamental assumption — that the purpose of an aircraft is primarily transport. By rethinking accessibility, handling, and interaction with the environment, the A5 positions flight as an experience rather than a purely operational task, raising a broader question: can aircraft design be shaped as much by human engagement as by performance?

A New Category In General Aviation

Introduced as a Light Sport Aircraft (LSA), the ICON A5 emerged at a time when general aviation was seeking new entry points for pilots. Rather than adapting existing aircraft concepts, ICON approached the market from a different direction — designing an aircraft that would appeal not only to trained pilots, but to a wider audience drawn to recreational flying.

This repositioning placed the A5 closer to the recreational and lifestyle sector than traditional general

aviation. Its amphibious capability, foldable wings, and simplified handling characteristics support use cases that extend beyond structured airport environments, enabling operation from water, short strips, and remote locations.

Design And Configuration

The A5 is a high-wing, two-seat amphibious aircraft constructed primarily from carbon fibre. It features a pusher configuration powered by a Rotax 912 iS engine, mounted above the fuselage to reduce water ingestion and improve safety during water operations.

A defining element of the design is its integrated hull and sponson structure, which provides hydrodynamic stability during water taxi, take-off, and landing. The wings fold rearward, allowing the aircraft to be stored in a standard garage or transported by trailer — a departure from conventional hangar-based ownership.

The cockpit is designed with automotive influences, prioritising visibility, ergonomic layout, and intuitive controls, reinforcing the aircraft's accessibility focus.

Safety And Technology

Safety in the A5 is addressed through design simplification and flight behaviour rather than

system complexity alone. The aircraft incorporates a spin-resistant airframe (SRA), developed to reduce the likelihood of entering a spin and to improve controllability near stall conditions.

An angle-of-attack (AoA) indicator is integrated as a primary reference for the pilot, providing a more direct understanding of lift margin than traditional airspeed-based cues. In addition, the aircraft is equipped with the ICON Parachute System (IPS), a whole-aircraft ballistic parachute designed to provide an emergency recovery option.

These features reflect an approach to safety that prioritises prevention and pilot awareness, particularly in low-altitude recreational flying environments.

Performance And Operation

The ICON A5 operates within the Light Sport Aircraft performance envelope, with a cruise speed of approximately 80 knots and a range of around 400 nautical miles. Its relatively low speed and benign handling characteristics are intentional, supporting its role as a recreational platform rather than a transport solution.

Operationally, the aircraft is optimised for short-duration flights, water-based operations, and exploration flying. The ability to transition between runway and water environments, combined with its transportability, allows for a level of operational flexibility uncommon in traditional general aviation aircraft.

Regulation And Market Impact

Originally certificated under Light Sport Aircraft regulations, the A5 operated within a framework designed to lower barriers to entry for pilots and manufacturers. More recently, its certification in the

FAA Primary Category has expanded its potential for international acceptance, reflecting an evolution in how such aircraft are positioned within regulatory systems.

From a market perspective, the A5 has challenged conventional definitions of general aviation value. Rather than prioritising speed or efficiency, it introduced a model centred on accessibility, recreation, and user experience. While production and commercial challenges have influenced its trajectory, its conceptual impact remains significant in how aviation can be presented to new audiences.

The ICON A5 highlights a different pathway for innovation — one that does not seek to outperform existing aircraft, but to redefine how they are used. In doing so, it shifts attention from technical capability to human interaction, offering a perspective that sits outside traditional performance-driven design.

The A5 demonstrates that aircraft design can be shaped by more than engineering efficiency alone. By prioritising accessibility, usability, and engagement with the environment, it challenges established expectations of what general aviation should deliver. Whether or not it defines a lasting category, it has already broadened the conversation — showing that how an aircraft is experienced may be as important as how it performs.

Key Facts

- Engine: Rotax 912 iS (100 hp)
- Cruise speed: approximately 80 KTAS
- Range: approximately 400–420 nautical miles
- Configuration: high-wing amphibious, pusher propeller
- Seating: 2 occupants
- Certification: LSA (initial), FAA Primary Category (recent)

<https://www.iconaircraft.com>



Image Credit: ICON



Image Credit: Rutan Aircraft

RUTAN LONG-EZ – DESIGN BEYOND CONVENTION

Long before unconventional aircraft entered mainstream discussion, the Rutan Long-EZ demonstrated that radically different configurations could deliver practical performance. Developed within the experimental aviation community, it challenged established norms through its canard layout, composite construction, and efficiency-driven design. Its continued presence today raises a persistent question: how far ahead of the certified world has experimental design already travelled?

A New Category In General Aviation

First flown in 1979, the Long-EZ emerged from a period of intense innovation within the homebuilt aircraft movement. Rather than operating within traditional certification pathways, it was designed for amateur construction — enabling individuals to build and operate aircraft outside conventional manufacturing frameworks.

This approach created a parallel stream of aviation development, where ideas could be tested and refined without the constraints of standard type certification.

The Long-EZ became one of the most influential designs of this movement, with thousands of plans distributed and a global fleet of owner-built aircraft still in operation today.

Design And Configuration

The Long-EZ departs fundamentally from conventional aircraft layout. Its defining feature is the canard configuration — a small forward wing paired with a larger main wing — combined with a pusher propeller mounted at the rear of the fuselage.

This arrangement offers several advantages. The canard is designed to stall before the main wing, naturally lowering the nose and reducing the likelihood of a deep stall. The streamlined fuselage and composite construction minimise drag, contributing to its long-range efficiency.

The aircraft is constructed primarily from mouldless composite materials, a technique that was innovative at the time and later influenced broader adoption of composites in general aviation. The tandem seating arrangement, semi-reclined pilot position, and side-stick control further distinguish it from conventional designs.

Safety And Technology

Safety in the Long-EZ is largely embedded in its aerodynamic design rather than dependent on complex

onboard systems. The canard configuration contributes to inherent stall-resistance characteristics, while the aircraft's simplicity reduces mechanical complexity.

However, as with all experimental aircraft, safety is closely tied to build quality, maintenance, and pilot familiarity. Unlike type-certified aircraft, each Long-EZ may differ slightly depending on how it was constructed and equipped, placing greater responsibility on the owner-builder and operator.

The design reflects a philosophy in which safety is achieved through aerodynamic behaviour and pilot understanding, rather than through layered automation or system redundancy.

Performance And Operation

The Long-EZ is designed for efficiency and range rather than raw speed. With a typical cruise speed in the region of 120–160 knots and a range exceeding 2,000 miles under certain configurations, it offers long-distance capability with relatively low fuel consumption.

Its operational profile is shaped by its experimental classification. Aircraft are individually registered and maintained, and pilots must be familiar with the specific characteristics of their aircraft. Despite this, the Long-EZ has demonstrated remarkable versatility, including long-duration flights and record-setting performances in its class.

Regulation And Market Impact

The Long-EZ operates under the experimental amateur-built (E-AB) category, meaning it is certificated as airworthy but not type-certified for mass production.

Regulations such as FAA 14 CFR 21.191 require that the majority of the aircraft be built by amateurs,

enabling innovation while maintaining regulatory oversight.

Its impact on aviation extends well beyond its numbers. The Long-EZ helped popularise canard configurations and composite construction techniques, influencing both experimental and certified aircraft design. It also demonstrated the role of the experimental sector as a testing ground for ideas that may later enter mainstream aviation.

The Long-EZ illustrates that innovation in aviation does not always originate within formal certification pathways. Instead, it highlights the role of independent design and experimental development in expanding the boundaries of what is possible.

The Long-EZ stands as a reminder that unconventional design is not a recent development, but an ongoing thread within aviation history. Its continued operation reflects a design philosophy grounded in efficiency and simplicity, while its influence persists in modern aircraft thinking. In this context, the gap between experimental innovation and certified application is not one of possibility, but of timing and adoption.

Key Facts

- **Configuration:** canard, pusher propeller
- **Engine:** typically Lycoming piston engines (varies by build)
- **Cruise speed:** approximately 120–160 KTAS
- **Range:** over 2,000 miles (configuration dependent)
- **First flight:** 1979
- **Category:** Experimental Amateur-Built (E-AB)
- **Manufacturer / design origin:** Burt Rutan (Rutan Aircraft Factory)

<https://burtrutan.com>



Image Credit: Rutan Aircraft

CHARTER AVIATION IN PRACTICE: DEMAND, FLEXIBILITY AND THE TECHNOLOGY SHIFT AHEAD

By Yolanda Vermeulen

Charter aviation is no longer a niche luxury; it is a critical enabler of connectivity in regions where scheduled networks fall short. As demand patterns evolve and operational pressures intensify, emerging technologies are reshaping how operators deliver flexibility, reliability, and value within an increasingly complex aviation environment.

Historically perceived as a premium or discretionary service, charter aviation has matured into an essential component of the global air transport system, providing a practical solution for the movement of passengers and cargo where time, access, and operational continuity are critical.

At its core, charter aviation derives its value from the ability to operate beyond the constraints of fixed

schedules and predefined routes. While scheduled carriers prioritise high-density, commercially viable corridors, charter operators provide access to secondary cities, remote airfields, and operationally challenging locations. This capability is particularly significant across Africa and other emerging markets, where infrastructure limitations restrict scheduled connectivity. In sectors such as mining, energy, conservation, and high-end tourism, charter aviation ensures continuity where alternatives are either inefficient or unavailable.

Demand within the charter sector remains inherently variable. Unlike scheduled aviation, where demand patterns can be forecast with relative consistency, charter operations are driven by immediate and often unpredictable requirements.

These include urgent business travel, operational disruptions, time-sensitive cargo movements, and high-value leisure travel. This variability reinforces the sector's core strength—responsiveness—but introduces operational complexity. Aircraft utilisation remains uneven, with repositioning sectors and empty-leg flights impacting efficiency. While digital tools and data-



Image Credit: © WAN

driven approaches are improving planning and fleet optimisation, the nature of the sector remains defined by flexibility rather than uniform efficiency.

Delivering this flexibility requires a sustained level of operational readiness. Aircraft must be available at short notice, crews must operate within strict regulatory duty limitations, and operators must maintain access to a wide network of airports and support services. These requirements introduce significant cost pressures.

Fuel volatility, maintenance demands, regulatory compliance, and increasing insurance and security obligations all contribute to a challenging operating environment. For smaller operators in particular, maintaining this balance is critical.

In response, alternative commercial models such as fractional ownership and shared charter solutions are gaining traction. These approaches aim to stabilise revenue streams while preserving the operational agility that defines the sector.

Technology is increasingly central to charter aviation, moving from a supplementary function to a core operational capability. Advancements in predictive maintenance, supported by aircraft data and analytics, enable operators to anticipate technical issues before they result in disruption. This enhances dispatch reliability and reduces unscheduled maintenance events—critical factors in a sector where each flight is mission-specific.

At the same time, digital booking and fleet management systems are transforming service delivery. Real-time pricing, improved fleet visibility, and faster response times are becoming standard expectations, supporting a shift toward a hybrid model where personalised service is reinforced by digital efficiency.

Inflight connectivity is also evolving rapidly. High-speed internet access is now expected, particularly within the corporate segment, supporting both passenger productivity and enhanced operational awareness.

However, increased digital integration introduces new risks. Cybersecurity is emerging as a critical operational consideration, with systems related to booking, payments, passenger data, and aircraft connectivity presenting potential vulnerabilities that require structured governance and proactive security measures.

Sustainability considerations are becoming increasingly influential within the charter sector. Sustainable aviation fuel represents the most immediate pathway to reducing emissions, while regulatory frameworks and corporate procurement requirements are placing greater emphasis on environmental performance.

These developments introduce additional cost pressures, particularly given the limited availability and higher cost of sustainable fuel. Operators must therefore balance environmental responsibility with economic viability, as sustainability increasingly influences market access and competitive positioning.

Despite technological advancements and evolving market dynamics, the fundamental principles of charter

aviation remain unchanged. Operational success continues to depend on aircraft availability, regulatory compliance, safety and security assurance, and the consistent delivery of service.

Technology enhances these capabilities; it does not replace them. Rather, it increases transparency and raises the standard of operational performance across the industry.

Charter aviation operates within a framework defined by competing demands—flexibility versus cost, responsiveness versus control, and customisation versus standardisation. Technology will play an increasingly important role in enabling operators to manage these pressures. However, it remains an enabler rather than a substitute for sound operational practices.

Ultimately, success in charter aviation will continue to be defined by the consistent delivery of safe, reliable, and efficient operations. While technology refines the process, it is operational discipline that determines the outcome.



Yolanda Vermeulen is the CEO of Ardent Aviation Group Pty Ltd, a South African-based, SACAA-approved (SACAA/10955/ASTO) aviation security training organisation and boutique consultancy. A senior Aviation Security and Dangerous Goods specialist, she focuses on regulatory compliance, risk control, and operational integrity, supporting AOCs, Regulated Agents, and Known Consignors in achieving seamless, audit-ready compliance. As a SACAA-approved Aviation Security Training Instructor (ASTI), Yolanda combines technical expertise with practical implementation, enabling organisations to embed disciplined security practices while maintaining operational focus.

For more information visit:
<https://www.ardentaviation.co.za/>



Image Credit: © WAN

ATEQ AVIATION: INTEGRATING AIR DATA AND AVIONICS TESTING IN MODERN MAINTENANCE ENVIRONMENTS

Aircraft maintenance environments are under increasing pressure to improve efficiency while maintaining strict compliance standards. The integration of air data and avionics testing systems is emerging as a practical response to these operational demands.

From Discrete Systems To Integrated Testing

Aircraft maintenance has traditionally relied on separate systems for air data and avionics testing. While effective, this approach often introduces complexity in workflow management, equipment handling, and inspection time.

ATEQ Aviation's portfolio has historically been centred around air data testing, with its ADSE range widely used in pitot-static testing and compliance verification. The recent integration of avionics testing capability represents a shift towards a more consolidated maintenance approach.

This evolution reflects a broader industry requirement: reducing equipment fragmentation while maintaining precision and compliance.

Expanding Capability Through T-Rx

The introduction of the T-RX avionics tester into ATEQ Aviation's portfolio extends its capability beyond air data systems into avionics verification.

Designed as a compact, standalone unit, the T-RX is field-ready and capable of supporting a wide range of avionics testing across multiple systems. Built on a modern software-defined radio (SDR) platform and incorporating an internal antenna, the system is structured for flexibility and ease of deployment. This architecture enables testing across communication, navigation, surveillance, and transponder functions, while supporting a scalable, future-oriented approach to avionics verification.

Its ability to perform over 100 tests across 17 systems from a single platform positions it as a multi-functional tool within maintenance environments.

From an operational perspective, this reduces the need for multiple test devices and simplifies equipment management on the hangar floor, making the new ATEQ Aviation T-RX the ideal solution for modern MRO workflows.

Supporting Compliance And Inspection Workflows

The integration of air data and avionics testing allows maintenance organisations to perform key compliance checks more efficiently.

By combining air data test sets with avionics testing capability, maintenance teams are able to complete inspection procedures required for continued airworthiness within a more streamlined workflow.

This includes the ability to conduct pitot-static and avionics verification as part of a coordinated process, reducing downtime and improving turnaround times.

For avionics shops and MRO operators, the operational benefit lies in the ability to manage testing requirements with fewer systems, while maintaining consistency in measurement and reporting.

Operational Efficiency In Practice

Beyond capability, the practical design of testing equipment plays a significant role in day-to-day operations.

The T-RX platform is designed to be portable and easy to deploy, with automated reporting functions and simplified test result outputs.

These features support technicians working in time-sensitive environments, where setup time, usability, and clarity of results directly affect operational efficiency.

In addition, the reduction in equipment footprint contributes to more manageable working environments, particularly in smaller or high-throughput maintenance facilities.

Positioning Within The Maintenance Environment

The integration of avionics testing into ATEQ's offering is not simply an expansion of product range, but a repositioning within the maintenance ecosystem.

Rather than supplying discrete tools, the focus shifts towards enabling a more connected testing environment — where air data and avionics systems are verified within a unified operational framework.

This approach aligns with the needs of:

- Maintenance, Repair and Overhaul (MRO) organisations
- Avionics workshops
- Aircraft manufacturers
- AOG response teams

Each of these environments benefits from reduced complexity and improved workflow continuity.

A Practical Shift In Testing Approach

As aircraft systems become more integrated, the tools used to maintain them are following a similar path.

The combination of established air data testing platforms with expanded avionics capability reflects a practical shift in how maintenance organisations approach testing and compliance.

Rather than adding layers of equipment, the trend is moving towards consolidation — supporting efficiency without compromising accuracy.

ATEQ Aviation's expanded testing portfolio illustrates a broader transition within aircraft maintenance: from segmented testing processes to integrated operational systems.

For maintenance organisations, the focus is no longer only on capability, but on how that capability fits into the wider workflow — reducing complexity, supporting compliance, and improving overall efficiency.

For more information, visit: <https://www.ateq-aviation.com>



Image Credit: © WAN

INFRASTRUCTURE LAG: THE CONSTRAINT SHAPING GENERAL AVIATION GROWTH

By Keith Fryer

Across general aviation, aircraft are evolving faster than the environments that support them. While propulsion systems, materials, and utilisation models continue to advance, the infrastructure on which aviation depends — hangars, airfields, and ground systems — remains largely unchanged. The result is a growing disconnect that is beginning to shape not only operations, but the future trajectory of the sector.

Hangar Availability: A Constraint Hiding In Plain Sight

In many regions, the shortage of hangar space has shifted from inconvenience to operational constraint. In South Africa, this is evident at several established airfields, where waiting lists for hangar space extend for

months — if not years. Operators are increasingly forced into shared arrangements or, more commonly, to leave aircraft exposed on open aprons.

The implications are practical and measurable. Aircraft parked outside experience accelerated wear: UV degradation affects composites and interiors, corrosion risk increases, and maintenance cycles shorten. Over time, this directly impacts residual value.

Cost adds a second layer of pressure. Where hangarage is available, pricing has risen sharply, particularly at airfields near urban centres. For private owners, this becomes a significant component of total ownership cost — sometimes enough to delay or deter acquisition. For commercial operators and flight schools, the impact is more immediate. Limited hangar access can constrain fleet expansion, regardless of demand.

Airfield Access: Shrinking Footprints

Running parallel to the hangar shortage is a gradual reduction in accessible airfields.

Smaller airfields — once central to general aviation — are increasingly vulnerable to urban expansion. Facilities



Image Credit: WAN

that were historically located on the outskirts of cities now find themselves surrounded by residential and commercial development. Noise concerns, rising land values, and zoning pressures often follow.

In South Africa, several smaller strips have already been repurposed or face uncertain futures. This trend is mirrored globally, with closures in Europe, North America, and parts of Asia frequently driven by short-term economic priorities rather than long-term aviation needs.

Privately operated airfields have, in some cases, filled part of this gap. While often well maintained and community-driven, they introduce variability in access. Membership requirements, operational restrictions, and limited capacity can fragment what was once a more open network.

The net effect is clear: fewer places to base, operate, and maintain aircraft.

Aircraft Evolution Vs Infrastructure Reality

Modern aircraft are not only different — they place new demands on their environment.

Composite airframes, for example, benefit significantly from controlled storage conditions. Prolonged exposure to weather can affect both structural integrity and surface finish, making hangarage more critical than it was for earlier metal aircraft.

Electric and hybrid-electric aircraft introduce an additional layer of complexity. Charging infrastructure, power availability, and safety protocols are not yet standardised across most general aviation airfields.

While demonstration projects and pilot programmes exist, widespread readiness remains limited.

Even conventional aircraft are evolving in ways that challenge existing infrastructure. Advanced avionics require specialised maintenance environments, while increased reliance on software and diagnostics demands connectivity that many smaller airfields do not provide. Environmental considerations are also becoming more prominent. Stormwater management, fuel handling regulations, and emissions policies are placing new demands on facilities that were not designed with these requirements in mind.

Operational Implications: Decisions Shaped On The Ground

Infrastructure limitations are no longer a background issue — they are influencing operational decisions in real time.

Aircraft utilisation is directly affected. Owners without reliable hangar access may fly less frequently, particularly in regions with variable weather. Flight schools may limit student intake based not on instructor availability or aircraft numbers, but on parking and maintenance capacity.

Training pipelines, already under pressure globally, are sensitive to these constraints. Reduced access to suitable airfields or congested circuits can limit efficiency and throughput.

Ownership decisions are increasingly shaped by infrastructure availability. Prospective buyers are asking not only what aircraft to purchase, but where it will be based. In some cases, the absence of a clear answer halts the decision entirely.

Across the broader ecosystem, the effects are cumulative. Reduced utilisation impacts maintenance providers, fuel suppliers, training organisations, and ultimately the sustainability of aviation communities.

A Global Pattern, Seen Through Local Realities

While South Africa provides clear examples of these dynamics, the underlying pattern is global.

In the United States, hangar shortages at popular general aviation airports are well documented. In parts of Europe, regulatory and environmental pressures have constrained both infrastructure expansion and airfield retention. In rapidly urbanising regions of Asia, land competition has made new airfield development increasingly complex.

What differs is not the trend, but the rate and local context.

South Africa's mix of established airfields, privately operated strips, and emerging aviation initiatives highlights both the resilience of the general aviation community and the structural challenges that may limit future growth.

Closing The Gap

The disconnect between aircraft evolution and infrastructure readiness is not insurmountable — but it does require recognition.

Infrastructure has traditionally been treated as static, designed to serve for decades with only incremental upgrades. That model is now under pressure. As aircraft technology and utilisation evolve more rapidly, infrastructure must become more adaptable.

This does not necessarily imply large-scale development. In many cases, targeted improvements — modular hangar solutions, scalable power infrastructure, and better land-use protection for airfields — can deliver meaningful gains.

Equally important is policy. Recognising airfields as strategic assets, rather than surplus land, is a critical step in maintaining the operational fabric of aviation.

The Operational Reality

Aviation does not function in the air alone. It is grounded — literally — in the quality, availability, and accessibility of its infrastructure.

As the industry continues to innovate, the question is not whether aircraft will evolve — they will. The question is whether the ground environment will keep pace.

At present, the evidence suggests it is not — and until that gap is addressed, infrastructure will remain one of the defining constraints on general aviation's next phase of growth.



THE ROLE OF SIMULATOR-BASED TRAINING IN GENERAL AVIATION

By Alfredo Schulz

Flight simulation has evolved from crude mechanical devices into a core pillar of modern aviation training. Today, it enables pilots to safely develop and maintain the skills required to handle complex, high-risk scenarios that cannot be replicated in an aircraft.

A Short History Of Flight Simulators

The need for simulating flight arose shortly after aircraft became operational. Initially, flight simulators were very crude devices intended to help pilots better understand flight and the basics of control. An example of this type of device was the Sanders Teacher (ca. 1910). It consisted of an actual aircraft mounted on a universal joint, allowing it to respond to aerodynamic forces while remaining tethered to the ground.

Around the 1930s, the Link Trainer was introduced and provided one of the first dedicated instrument flight training platforms to teach and develop the skills required for safe flight in poor visibility conditions. It proved itself an invaluable asset in training flight crews and preparing them for operational duty during WWII.

The 1950s saw the introduction of flight simulators equipped with rudimentary visuals, sound, and motion systems, aimed at training both military and civilian commercial pilots. The advent of digital computing in the 1960s revolutionised flight simulation by enabling

real-time simulation and significantly improved visual systems, paving the way for higher fidelity and more immersive training scenarios.

The 1970s saw the development and regulatory implementation of flight simulation technical standards, ensuring a uniform level of quality and effectiveness of training regardless of the simulator used. Since then, the rapid pace of technological evolution has been mirrored in the capability of modern flight simulators, whether motion or non-motion devices. This has led to a significant expansion in their application for training, testing, and checking flight crews across a wide range of missions.

This also extends to the modern home or hobbyist's highly realistic and affordable flight simulator—something that would have been unimaginable in the early days of aviation.

Simulators In The Future

The continued evolution of simulation technology is centred on the integration of Virtual Reality (VR), Augmented Reality (AR), haptic feedback systems, and Artificial Intelligence (AI) to further improve realism, fidelity, and immersion, while enabling more personalised training scenarios.

The introduction of pilot stress and workload monitoring during simulated sessions could provide valuable datasets for developing more targeted training programmes, as well as refining Standard Operating Procedures (SOPs) for handling abnormal and emergency situations. This would directly contribute to improved flight safety

Simulator Training

The ability to provide pilots with training and experience in handling rare or dangerous situations—either impossible or too risky to practise in a real aircraft—is one of the cornerstones of flight simulation.

Modern simulators can replicate a wide range of general and highly specific emergencies. These include scenarios triggered by aerodynamic or weather phenomena, aircraft system or engine failures, and even bird strikes. These can be introduced individually or in combination, creating a vast range of training permutations.

By practising these scenarios in a simulator, pilots can develop the necessary skills and confidence—whether in single-crew or multi-crew operations—to handle them safely in real-world conditions.

Part 60 of the South African Civil Aviation Regulations (SACARs) and Technical Standards (SACATS) governs the qualification and use of simulators, collectively referred to as Flight Simulation Training Devices (FSTDs). It defines qualification categories such as generic, type representative, type specific, motion, and non-motion devices, along with associated standards and training credits.

Other regulatory elements, including Parts 61, 135, and 121, provide further guidance—sometimes mandatory—on the use of FSTDs. For example, Part 61 mandates that where a type-specific simulator is available locally or internationally, it must be used for training towards that aircraft type rating.

Guidance is also provided on which elements of training and testing should be conducted in simulators versus in the aircraft.

Examples Include:

- Instrument Flight (IF) training, testing, licence revalidation, and currency maintenance. Generic simulators representing a class of aircraft (e.g. Multi Engine Land – MEL) are adequate, as instrument flying skills are not aircraft-type specific.
- Training and testing towards aircraft type ratings. This must be conducted in type-specific simulators (e.g. Beech 1900, King Air 200, Pilatus PC-12, Boeing 737-800, Airbus A320), as these accurately replicate aircraft systems and handling characteristics.
- Aircraft type recurrency, Pilot Proficiency Checks (PPC), and Operator Proficiency Checks (OPC). These programmes should focus on abnormal and emergency scenarios. There is limited value in assessing routine operations in an aircraft when these are already performed daily. The purpose is to evaluate the crew's ability to manage situations they are unlikely to encounter in reality.
- Scenario-based training tailored to specific airports, routes, and missions relevant to the pilot's operational environment.
- Multi-Crew Cooperation (MCC) training, focusing

on effective crew coordination and the practical application of SOPs.

- RNAV/GPWS training and testing, requiring simulators with the appropriate additional qualifications.
- All-weather operations (AWOPS) training.
- Traffic Collision Avoidance System (TCAS) training.
- Ground Proximity Warning System (GPWS) training.
- High-risk scenarios that cannot safely be conducted in an aircraft, such as engine failures on take-off, wind shear, icing conditions, fire suppression, and emergency landings.

In general, all these scenarios should be conducted in accordance with Standard Operating Procedures (SOPs), whether in single-crew or multi-crew environments.

Another distinct advantage is cost. Simulator training represents only a fraction of the cost of aircraft-based training. Even if costs were equivalent, the value of simulator training would still exceed that of purely aircraft-based training.

Simulator training is not dependent on weather or ATC constraints, and it allows pilots to make and correct mistakes without risk to life or equipment.

In commercial operations such as charter or contract flying, aircraft used for training represent lost revenue-generating time. Simulator-based training eliminates this opportunity cost while improving training effectiveness.

A recent example is Simuflight's Pilatus PC-12 type-specific non-motion FSTD. It was developed and built locally over approximately two years by the Midrand-based South African company Aviamech, which has a proven track record in simulator engineering spanning 30 years.

The simulator was installed and commissioned at Simuflight's Midrand training facility and qualified by the SACAA, joining existing type-specific FSTDs for the Beech 1900, King Air 200, and Cessna Caravan.

The availability of locally based type-specific FSTDs means that South African and African operators no longer need to incur the significant costs of sending flight crews abroad for mandatory simulator training. Simuflight's SACAA-approved training programmes for the B190, B200, C208, and PC-12—combining FSTD and aircraft-based training—offer a cost- and time-efficient alternative, directly improving operating economics for the regional aviation industry.

Training is an integral part of aviation, and pilots and operators cannot function without it. In a modern environment where technology advances rapidly, simulators are an indispensable tool for training and testing aircrew.

The foundation of any training programme must be solid and safe, starting with course content and the standard of instruction. This ultimately produces safer, more competent, and more confident pilots.

For more information visit: www.simuflight.co.za



Image Credit: Sandy Bayne

THE FUTURE OF FLYING WILL BE SHAPED ON THE GROUND

By Sandy Bayne

While much of the industry's attention is focused on aircraft design and in-flight innovation, the future of aviation will ultimately be determined by the strength, reliability, and resilience of the systems that support it.

For many, flying once carried a certain romance. It was something you planned and saved for, and even dressed up for. Airports felt spacious, and the journey itself felt special. Today, that world is largely gone. Flying is far more accessible, which is a good thing, but it is also more crowded, more pressured, and often more frustrating.

That shift provides an important insight into the aviation industry today. The challenge is no longer how to grow passenger demand. People want to travel and, in most markets — including South Africa — travel has moved from being a luxury to a necessity. The real question now is whether the systems that support aviation can keep up with the scale, growth, and increasing complexity of modern air travel.

Where The Real Pressure Lies

When people talk about the future of aviation, they often focus on aircraft, route networks, customer experience, or technology in the cabin. Those elements are important, but from an operational perspective, the real pressure points are less visible. They are found in airport infrastructure, air traffic management, maintenance standards, systems capacity, and the quality of decision-making on the ground.

As operations become more complex, margins for error reduce. Even small disruptions can have disproportionate effects. Anyone who has travelled through congested hubs will recognise this: the aircraft may be ready, the crew prepared, and passengers on board, yet a delay in any part of the wider system can quickly cascade across the network.

Capacity, therefore, is not simply a function of fleet size. It is determined by how effectively the entire support system — from air traffic control to ground handling — can operate under pressure.

Complexity Beyond The Aircraft

More aircraft in the sky inevitably creates more

complexity on the ground. Airports require land, runway capacity, parking bays, terminal infrastructure, road access, baggage systems, security processes, and skilled personnel. Air traffic systems must safely manage increasing movements within constrained airspace, often with very little room for flexibility.

The industry's future is therefore tied not only to technological advancement in aircraft, but to the ability of these supporting systems to scale reliably. Without that, growth becomes constrained not by demand, but by operational limitation.

Resilience Over Efficiency

For many years, efficiency has been the dominant metric in aviation. Today, resilience is becoming equally, if not more, important.

The key questions have shifted. It is no longer only about how efficiently an operation can run under ideal conditions, but how well it can recover, adapt, and continue functioning when those conditions are disrupted. This includes the ability to respond to infrastructure constraints, system failures, and external pressures without compromising safety or reliability.

The South African Context

In South Africa, these dynamics are particularly evident. The country has the potential to be a far stronger tourism and connectivity hub than it currently is. Aviation should be a key enabler of that growth.

However, this potential is closely tied to the performance of the systems that support it. Infrastructure reliability, execution consistency, and alignment between decision-making and operational realities all play a role in determining whether that

potential can be realised.

There are many committed professionals across the sector who continue to maintain standards under pressure. The challenge is not a lack of capability at operational level, but ensuring that those individuals are supported with the right tools, leadership, and frameworks to succeed.

Building For The Future

Addressing these challenges does not necessarily require wholesale structural change. In many cases, it calls for more practical engagement, clearer accountability, and a stronger focus on execution. Bringing the right operational expertise into decision-making processes is critical, as is maintaining a clear line of sight between strategy and implementation.

Despite the pressures, there are reasons for optimism. Aviation continues to attract highly skilled and dedicated people, and it is this professionalism that underpins the industry's ability to function even in constrained environments.

An Industry Defined On The Ground

In the end, the future of aviation will not be decided solely by demand, fleet growth, or technological innovation. These are important, but they are not the limiting factors.

It will be determined by the strength of the systems on the ground — and by the ability of the people who operate them to ensure that aviation remains safe, reliable, and capable of supporting continued growth.

Sandy Bayne retired in March 2026 following a long international aviation career.



Image Credit: WAN ©

e-SAF IN SOUTH AFRICA

Slightly more than twenty years ago, an Irish entrepreneur, Paschal Phelan and his family immigrated to South Africa after recognising the potential of South Africa as a country rich in endless sunshine and a climate favorable for developing Renewable Energy systems.

By Robin Rabec



Founded in Cape Town in 2005, the Phelan Green Group had a strategic vision to develop the world's lowest cost-green energy.

Pasqual Phelan is now at the helm of a global plan to decarbonise air travel with the production of Carbon Neutral e-SAF

What is E-SAF, and what is South Africa's role in the immediate future for the development and production of e-SAF...?

Climate change is happening, and according to respected sources, aviation currently accounts for 5% of global warming and aviation alone is regarded as the most carbon intensive mode of transport....

While the aviation industry is committed to reducing carbon emissions, the development of Sustainable Aviation Fuel (SAF) produced from carbon rich waste matter including Fats and various blends of vegetable oils is limited by the scarcity of these "non natural feedstock's" as an immediate constraint.

Electro-Sustainable Aviation Fuel or e-SAF is a SYNTHETIC FUEL produced from sources of renewable electrical energy created from Wind Turbines, or Solar Energy extracted from fields of Solar Panels spread across areas of vacant land of which sunny South Africa has an abundance.

The real "kicker" to this, is the carbon neutrality of e-SAF.

When burnt the fuel emits ONLY as much Carbon as was consumed in the production process. Renewable Electricity can be used to separate water into its components of Hydrogen and Oxygen.

CO₂ from the atmosphere is further transformed into Carbon Monoxide on an industrial scale and when combining with H to forms an enriched Hydro Carbon Wax compound that can be refined and upgraded into electro – sustainable aviation fuel: e-SAF

Legislation in both the United Kingdom and European Union is calling for dramatic decarbonization standards in the production of Aviation Jet fuels.

Enforced regulations are expected to become effective in E.U countries by 2030, but in the UK, legislation enforcing stricter emission controls in aviation is expected to come into effect as soon as 2028!!

Currently e-SAF is expected to cost Eight times (8 x) the cost of standard Jet Fuel.

While e-SAF is likely to be similar to conventional Jet Fuel in both density and thermal efficiency, the synthetic fuel will serve only as a "drop In" blend with standard fuel.

Adding 0.7% of the e-SAF delivers a measurable reduction in the carbon emissions of the propellant fuel. Initially the 0.7% "drop In" will be added to standard Jet Fuel uplifts to effectively reduce Carbon emissions into the atmosphere by jet powered aircraft. This 0.7% "Drop In" could in later years be increased to as much as a 28% supplement to the total fuel uplift?

Innovations to reduce costs in sourcing Carbon Monoxide from substances including crude vegetation or other forms alien substances to levels suitable for alleviating the cost of producing the product of Sustainable Aviation Fuel..

In November 2023, the Phelan Green Company, announced an \$800 Million Dollar investment plan for the development of an e-SAF production plant at Saldanha Bay 100 kilometers to the North from Cape Town

A 6000-hectare site purchased in 2023 at Saldanha Bay on the West Coast of South Africa was chosen as an ideal location to establish the Phelan Green processing plant due to its sun filled climate and favorable coastal winds prevalent in the area.

The processing and manufacture of the fuel is planned entirely for export via the Saldanha Bay deep water harbour is on a direct shipping route to the United Kingdom and European Union countries

Major airlines in South Africa and those serving South Africa will however NOT initially benefit from the supply of e-SAF.

Mandatory requirements for Carbon Reduced fuels are NOT applicable to aircraft operating along air routes in and around South Africa..

View the video discussion with Pasqual Phelan, Chairman of PHELAN GREEN outlining the vision for his company to produce for export, the first litre of e-SAF to the United Kingdom in August in 2028 from their Chemical Plant at Saldanha Bay here:

<https://www.worldairnews.co.za/features/>



*Paschal Phelan is the founder and Executive Chairman of Phelan Green Energy . Images Credit: Phalan Green Energy
For more information visit: <https://phelangreen.com/>*



Image Credit: © WAN

MRO AND THE COST OF DEPENDENCE

Adapted from the Kenya Airways – African MRO Conference Presentation

How sustainability and capability are reshaping Africa's maintenance landscape

The Structural Gap In African Mro

A large share of maintenance for African-registered aircraft continues to be performed outside the continent. This model introduces structural inefficiencies, including increased ferry costs, longer aircraft downtime, and reliance on external capacity.

It also represents a consistent outflow of capital, limiting the development of local technical ecosystems and reducing opportunities for skills retention and industrial growth.

The issue is not new, but it is becoming more pronounced as fleets expand and operational demands increase.

Green Maintenance As An Operating Model

At the inaugural African MRO Conference in Addis Ababa, Kenya Airways Engineering & Maintenance positioned sustainability not as a separate initiative, but as part of a broader operational framework.

Presented under the theme "Green Maintenance: Decarbonising the African MRO Value Chain," the approach integrates environmental considerations directly into maintenance processes, infrastructure planning, and technical workflows.

This includes:

- Scaling physical maintenance infrastructure
- Introducing digital maintenance tools
- Aligning governance with long-term operational efficiency

Rather than focusing solely on emissions, the model links sustainability to measurable improvements in efficiency, cost control, and system resilience.

From Compliance To Capability

The concept of "green maintenance" in this context reflects a shift from compliance-driven sustainability to capability-driven operations.

Embedding sustainability into maintenance processes can:

- Improve turnaround times
- Reduce waste and inefficiencies
- Strengthen supply chain resilience
- Support long-term cost stability

For African operators, these factors are directly linked to competitiveness.

The emphasis is therefore not only environmental, but operational — positioning sustainability as part of the core maintenance model rather than an external requirement.

Building Regional Technical Capacity

Kenya Airways' MRO division operates from Nairobi as an EASA Part-145-approved and KCAA-certified organisation, providing base maintenance, line maintenance, and component support across multiple aircraft platforms.

It also serves as an Embraer Authorised Service Centre, supporting regional operators and contributing to the development of specialised technical capability within the continent.

This type of infrastructure is critical to reducing reliance on external maintenance providers and enabling more efficient regional operations.

The Role Of Digital And Infrastructure Investment

The roadmap presented at the conference highlights the importance of combining physical infrastructure with digital systems.

Digital maintenance tools enable:

- Predictive maintenance planning
- Improved data integration across fleets
- Enhanced operational visibility

When combined with expanded local infrastructure, these systems can support a more integrated and responsive maintenance environment.

A Shift In The Value Chain

The development of regional MRO capability represents more than a technical evolution — it is a shift in where value is created within the aviation ecosystem.

By retaining maintenance activity within the continent, operators can:

- Reduce operational costs
- Improve fleet availability
- Build local expertise and employment
- Strengthen the broader aviation value chain

This shift is increasingly seen as essential to supporting long-term growth in African aviation.

Operational Implications For The Industry

As African carriers continue to expand their fleets and route networks, the demand for reliable and efficient maintenance capability will increase.

The ability to deliver maintenance services locally — aligned with international standards — will become a key differentiator.

At the same time, sustainability considerations are likely to become embedded in operational decision-making, linking maintenance practices with broader

industry targets.

The integration of sustainability into maintenance operations signals a broader transition within the aviation sector.

In Africa, this transition is closely tied to the development of regional capability and the reduction of structural dependency on external MRO providers.

As the industry evolves, maintenance is no longer a background function — it is becoming a central component of operational efficiency, economic performance, and long-term resilience.



Image Credit: WAN

RETROFITTING CAPABILITY: MODERN AVIONICS AND THE LEGACY AIRCRAFT

For many general aviation operators, modernising an aircraft no longer means replacing the airframe. In many cases, it means upgrading the cockpit.

Certified retrofit avionics now allow selected legacy aircraft to gain modern flight display, navigation, autopilot, and engine-monitoring capabilities, extending operational usefulness without requiring a new aircraft purchase.

The Value Of What Already Exists

General aviation still depends heavily on an established fleet of older aircraft. Many of these airframes remain useful, but their original instrumentation can impose limitations in workload, situational awareness, and maintenance. Retrofit avionics provide one route to improvement, particularly where the aircraft type, certification basis, and operator budget support the upgrade.

This matters because capability in general aviation is not defined by airframe age alone. In practical terms, a legacy aircraft with an approved digital retrofit may offer a very different cockpit environment from the one it left the factory with.

From Round Dials To Integrated Displays

One of the clearest changes is the move from scattered analogue instrumentation to integrated digital presentation. Garmin's GI 275, for example, is designed to fit a standard 3-1/8-inch round cut-out with little or no panel modification, while the certificated G3X Touch provides primary flight display, multifunction display, and, in some applications, engine indication capability for approved single-engine piston aircraft.

That shift improves more than appearance. It can simplify instrument scan, consolidate data presentation, and support features such as synthetic vision, moving maps, and digital engine monitoring where installed. The result is a cockpit that can offer better situational awareness than a traditional "steam gauge" layout, although the exact gain depends on the aircraft and the approved system configuration.

A Modular Upgrade Path

One of the practical attractions of retrofit avionics is that they can often be installed in stages rather than as a single, all-or-nothing package. Garmin's product ecosystem reflects this building-block approach, with instruments, navigators, engine displays, and autopilots that can be combined differently depending on aircraft

eligibility and owner requirements.

That does not make retrofitting simple. Approval status, compatibility, installation complexity, and cost all remain important constraints. But it does mean that, for some operators, capability can be added progressively instead of waiting for a full fleet replacement cycle.

Safety Features As Part Of The System

Modern retrofit capability is not limited to display technology. Garmin's GFC 500 autopilot, for example, includes functions such as Level Mode, underspeed protection, and overspeed protection in approved installations. Garmin also documents Electronic Stability and Protection as a feature that can provide control input through the servos when the autopilot is not engaged, helping to nudge the aircraft back towards its normal operating envelope.

These features do not eliminate pilot responsibility, but they do show how retrofit avionics can introduce forms of system-supported protection into aircraft that were originally certificated in a much earlier instrumentation era.

Data And Connectivity

Another notable change is the increasing role of digital data. Engine and flight information can now be logged electronically rather than recorded manually, and Garmin's PlaneSync capability adds functions such as automatic database downloads via Wi-Fi or 4G LTE, together with real-time aircraft status information in compatible installations.

For operators and maintainers, that begins to shift the aircraft from being a self-contained cockpit to being part of a wider information environment. Even so, these benefits are system-dependent and should not be treated as universal across the legacy fleet.

Why This Matters In General Aviation

For general aviation, retrofitting is one of the more practical ways to extend utility, improve situational awareness, and introduce selected modern safety functions without moving immediately to a new-production aircraft. This is especially relevant in a sector where replacement cost can be difficult to justify and where proven airframes often remain in service.

Retrofitting does not make every legacy aircraft equivalent to a new aircraft, nor does it remove the limitations of the underlying airframe. What it can do is materially change how that aircraft is flown, navigated, and managed. Avionics retrofits represent a practical bridge between the analogue past and today's digital reality.



10-12 JUNE 2026

Lanseria International Airport,
Johannesburg, South Africa

YOUR AVIATION COMMUNITY TRADE SHOW



EXHIBIT WITH US

www.aerosouthafrica.com



@aero_south_africa



@AERO Expo South Africa



@AEROSouthAfrica1



@AEROExpoSA

In co-operation with



Partner



Venue Partner



Media Partner



Organised by





Image Credit: AERO SA

AERO SOUTH AFRICA: THE INDUSTRY PLATFORM GENERAL AVIATION NEEDS

In conversation with Show Director Louise Olckers

A working trade environment for a sector without a natural gathering point.

Aviation does not exist only in aircraft design or airline networks. It is sustained in the environments where decisions are made, relationships are formed, and operational realities are understood.

In Southern Africa, AERO South Africa is emerging as one such platform — not as a spectacle, but as a working intersection of the general aviation industry. Six editions in, the region's primary dedicated general aviation trade event is becoming something more considered than the sum of its parts.

What The Event Is Actually For

There is a particular kind of aviation event that exists in almost every region — the public airshow, built around spectacle, crowds, and the visceral appeal of aircraft in motion. AERO South Africa is not that event, and has never positioned itself as such.

At its core, AERO South Africa serves the full general aviation value chain: manufacturers, operators, avionics

suppliers, maintenance providers, flight training organisations, and the regulatory bodies that connect them. The exhibitor range reflects that breadth — from civilian drones and light sport aircraft to business jets and helicopters.

What distinguishes the event is not the range of product on display, but the quality of the audience engaging with it.

According to the organisers, the visitor profile is deliberately structured. Fleet operators and aircraft owners walk the floor alongside flight school principals, MRO professionals, avionics technicians, and procurement decision-makers. Regulators attend not as observers, but as participants. More than 25% of visitors hold a pilot licence, ensuring that engagement is informed and operationally grounded.

It is an audience assembled not by open invitation, but by relevance — and that quality of attendance has become one of the event's most defensible strengths.

"The strength of the platform lies in its audience quality," says Louise Olckers, Show Director of AERO South Africa. *"For participants, this translates into direct access to decision-makers and operators within the African market."*

Who Belongs In The Room

AERO South Africa's approach is deliberate: maintain focus, protect engagement quality, and ensure that participation remains commercially meaningful.

The organisers describe this as the "wider aviation community" — not a distinction between professional and recreational participants, but a focus on those actively engaged in aviation. A private pilot evaluating an aircraft purchase is as relevant to an OEM as a fleet operator reviewing expansion options.

The result is an event that remains curated and commercially focused, while still open to emerging segments within the industry.

Beyond The Transaction

While the event facilitates real commercial outcomes, its value extends beyond transactions.

In conversation with organisers, it is clear that the platform is designed to support informed decision-making, while also functioning as a knowledge exchange environment. Conferences and workshops provide context around regulatory developments, technology trends, and operational challenges — supporting both professional development and industry dialogue.

For flight schools assessing fleet investments, or operators tracking shifts in maintenance and regulatory environments, the programme surrounding the exhibition floor is often as valuable as the exhibition itself.

This positioning — where insight and commercial opportunity intersect — reflects a considered understanding of what drives both exhibitor retention and visitor return.

How Success Is Measured

For the organisers, success is defined by outcomes rather than scale.

Satisfaction levels among both exhibitors and visitors are reported to be near 90%, while repeat participation indicates that meaningful engagements are taking place — whether concluded at the event or developed over time.

The organisers report that the 2025 edition attracted just under 3,000 visitors and 65 exhibiting companies. For a specialised, regionally focused trade event, these figures are significant. However, the emphasis remains not on headcount, but on what that audience represents.

The Larger Opportunity

AERO South Africa's trajectory is increasingly tied to the broader development of the Sub-Saharan aviation market.

Demand for pilot training, charter services, agricultural aviation, and emergency response capability continues to grow. Infrastructure development is progressing, and regulatory frameworks are evolving. For manufacturers and suppliers, the region represents an emerging market with tangible long-term potential. Within this context, AERO South Africa is positioning itself as a gateway into that market — connecting global suppliers with regional operators and decision-makers.

A Platform In Development

AERO South Africa 2026 will take place from 10–12 June at Lanseria International Airport, Johannesburg. As aviation continues to evolve, platforms such as AERO South Africa play a critical role — not in showcasing the future, but in enabling the decisions that shape it.



Image Credit: AERO SA



REGULATING PASSENGER DRONES: CERTIFICATION, CONTROL AND COMPETENCE

By Keith Fryer

As drones evolve into passenger-carrying platforms, aviation must redefine not only aircraft certification, but the role of the pilot itself.

From Drone Operator To Air Mobility Pilot

Today's drone regulations already provide insight into how this transition may unfold.

In jurisdictions such as the UAE, operators are required to register with authorities, complete certified training, and obtain operational approvals for each mission. Even for small unmanned systems, the regulatory philosophy is clear: competence precedes access.

This framework closely mirrors the foundations of pilot licensing — training, certification, operational approval, and continued oversight.

The progression from camera drone to passenger-carrying aircraft is therefore not a conceptual leap, but

an evolutionary one. The structure of regulation remains consistent; what changes is the level of assurance required.

Dubai: A Regulatory Case Study

Nowhere is this evolution more visible than in Dubai. Through the UAE General Civil Aviation Authority and the Dubai Civil Aviation Authority, a comprehensive AAM framework is already taking shape. This includes defined air corridors for drone and eVTOL operations, certification pathways for aircraft and operators, and standards for vertiports.

This is not theoretical. The region is actively preparing for routine passenger transport using autonomous or semi-autonomous aerial systems.

At the core of this approach are three interconnected elements: aircraft certification, operator certification, and airspace integration.

Certification Models: Three Pathways

As regulators look ahead, three operational models are emerging.

The first extends current practice: a remote pilot controlling the aircraft from the ground. This model builds on existing UAV frameworks but will require significantly higher levels of certification.

The second is transitional: an onboard pilot operating the aircraft in a manner similar to a helicopter or fixed-wing captain. This would likely introduce a new category of pilot licence, potentially including type-specific ratings for eVTOL aircraft.

The third represents a future state: autonomous systems supervised by a certified operator managing multiple aircraft. In this model, licensing begins to resemble a hybrid of air traffic control and unmanned system command.

Even at the most basic level, current drone regulations already require formal training and certification — suggesting that passenger-carrying operations will demand standards at least as rigorous as those applied in commercial aviation.

Airspace Integration: The Digital Layer

Advanced air mobility introduces a fundamentally different operational environment.

High-density, low-altitude urban traffic will need to coexist with conventional aviation, drones, and autonomous systems. Managing this complexity requires a new layer of digital infrastructure.

Frameworks such as unmanned traffic management (UTM) are being developed to regulate airspace access, separation standards, communication protocols, and real-time monitoring.

In this context, certification extends beyond pilots and aircraft to include software platforms, communication networks, and service providers.

The Global Gap

While regions such as Dubai are building integrated AAM ecosystems, much of the world remains in earlier stages of development.

In many countries, regulation is still focused on recreational drones or limited commercial UAV applications. Certification pathways for passenger-carrying operations remain undefined, and infrastructure standards — particularly for vertiports — are still evolving.

Fragmentation between aviation, transport, and urban planning authorities further complicates progress.

In effect, while some regions are preparing for operational deployment, others are still determining where these systems fit within existing frameworks.

Certification Beyond The Aircraft

The future regulatory model for passenger drone operations will extend beyond traditional aviation structures.

Certification will apply not only to the aircraft, but to the entire operational ecosystem — operators, software systems, infrastructure, and oversight mechanisms.



Image Credit: Uber

This layered approach reflects the increasing complexity of modern aviation systems, where safety depends on the integration of multiple interdependent elements.

In practical terms, certification moves from the cockpit to the ecosystem.

The Safety Imperative

Carrying passengers fundamentally changes the regulatory equation.

Unlike cargo operations, human transport introduces a risk profile where tolerance for system failure approaches zero. Public confidence, legal liability, and operational integrity all demand aviation-grade standards from the outset.

This is why leading regulators are applying established aviation principles early — building frameworks before widespread adoption, rather than responding after the fact.

In this context, advanced air mobility is not being treated as a separate domain, but as an extension of aviation itself.

A New Licence To Fly

Aviation has always been built on a simple premise: trust is earned through certification.

As drones evolve into passenger-carrying aircraft, that principle remains unchanged — but its application becomes more complex. Certification expands from pilots to operators, from aircraft to ecosystems, and from traditional airspace control to digital traffic management.

Dubai's approach illustrates how this transition may unfold.

For the rest of the world, the message is clear: the technology is advancing rapidly, but regulatory frameworks must keep pace.

As in the early days of aviation, those who lead in certification and regulation will ultimately shape the future of flight.

FROM BICYCLES TO BOEINGS

By Rob Garbett



The Wright brothers worked from a modest bicycle shop—premises later relocated by Henry Ford from Dayton, Ohio to Dearborn, Michigan, where they remain preserved today. From these humble beginnings, with limited means but absolute conviction, they set aviation on its course toward powered flight.

The American computer scientist Alan Kay once observed that simple things should be simple, and complex things should be possible. He also noted that the best way to predict the future is to invent it. Few examples illustrate this more clearly than those early days of flight.

Conviction, more than anything, drives invention. Without it, the Wright brothers may well have been remembered only for their bicycles rather than the flying machine they created. In essence, it was a bicycle of sorts—constructed from wood, wire, and ingenuity, powered by a modest four-cylinder, 12-horsepower engine of their own design. The Wright Flyer was as much an exercise in belief as it was in engineering.

Over the past 120 years, aviation has evolved from that single-seat experimental machine into aircraft capable of carrying hundreds of passengers across intercontinental distances. The scale and complexity of modern aviation would have been almost unimaginable to those early pioneers.

Today, attention is turning to new materials and configurations that may once again reshape aircraft design. Research into ultra-light lattice structures, advanced composites, and adaptive materials continues, alongside work by NASA and industry partners on concepts such as shape memory alloys—materials capable of responding dynamically to temperature and airflow. At the same time, alternative configurations,

including blended wing body designs and the Transonic Truss-Braced Wing under development with Boeing, are challenging the conventional relationship between wing and fuselage in pursuit of improved aerodynamic efficiency.

Such developments do not come easily. They demand significant investment in specialised tools, advanced manufacturing processes, and entirely new ways of thinking about aircraft design and production.

Aviation today accounts for approximately two to three percent of global greenhouse gas emissions. In response, considerable effort is being directed towards reducing the industry's environmental impact. Airbus, through its ZEROe programme, is exploring hydrogen propulsion concepts that would require not only new fuel systems but also fundamental changes to aircraft architecture. Electric propulsion, while still constrained by battery weight and energy density, is beginning to find practical application in short-haul and training environments. According to the International Air Transport Association, sustainable aviation fuel (SAF) has the potential to reduce lifecycle CO₂ emissions from existing aircraft by up to 80 percent.

At the same time, new forms of air mobility are emerging. Electric vertical take-off and landing aircraft—eVTOLs—are moving steadily through development and certification pathways. Urban air mobility concepts are being explored in several major centres, including Dubai, where dedicated vertiport infrastructure is under development to support future operations. These aircraft, typically designed to carry a small number of passengers over relatively short distances, represent a different way of thinking about how aviation may integrate into urban environments.

Artificial intelligence is also becoming an increasingly visible part of the aviation landscape. Advanced systems are being developed to support flight operations, including the potential for reduced crew configurations on certain routes. While such developments may be met with caution within the pilot community, they reflect a broader shift towards automation in response to operational and economic pressures.

The future of aviation will be shaped by progress across multiple fronts—materials, propulsion, aerodynamics, and avionics—each advancing at its own pace, yet increasingly interconnected. As these developments unfold, the challenge will be to ensure that innovation remains aligned with responsibility.

Looking ahead, one can only hope that as aviation continues to evolve, the well-being of our planet remains central to every decision made.

AFRICA'S GATEWAY TO THE GLOBAL DEFENCE
AND AEROSPACE COLLABORATION

16 - 20 SEPT

#AAD2026



PRATT & WHITNEY

AFRICA'S PREMIER AEROSPACE & DEFENCE EXHIBITION

BOOK YOUR SPACE NOW!

AIR FORCE BASE WATERKLOOF, CENTURION, SOUTH AFRICA

WWW.AADEXPO.CO.ZA



The Commercial Aviation Association of Southern Africa

CAASA is a non-profit organisation formed in 1944 to promote and protect the commercial interests of the general aviation industry in South Africa



AATOSA



AADO



Melissa Sewgolam

Mobile: +27 (0) 82 847 3403

Email: mellisa@caasa.co.za

Gate 9, Lanseria International Airport

www.caasa.co.za

